

TOSHIBA

LED LIGHTING



PRODUCT CATALOGUE 2024

CONTENTS

WESTNET & TOSHIBA	2
WHY US	3
TOSHIBA LED LIGHTING	4
CHARACTERISTICS OF LED SMD LAMPS.....	6

LAMPS

STANDARD A BULB	8
STANDARD CANDLE	10
STANDARD GOLF	11
STANDARD GU10	12
STANDARD A BULB - 3PACK	13
STANDARD CANDLE - 3PACK.....	13
STANDARD GOLF - 3PACK	13
STANDARD A BULB DIMMABLE.....	14
STANDARD CANDLE DIMMABLE	15
STANDARD GOLF DIMMABLE.....	16
STANDARD GU10 DIMMABLE	17
FILAMENT A BULB.....	18
FILAMENT CANDLE	19
FILAMENT GOLF	20
FILAMENT G95.....	21
FILAMENT ST64.....	22
FILAMENT T25.....	23
FILAMENT A BULB DIMMABLE.....	24
FILAMENT CANDLE DIMMABLE	25
FILAMENT GOLF DIMMABLE	26
FILAMENT G95 DIMMABLE.....	27
FILAMENT ST64 DIMMABLE.....	28
FILAMENT T25 DIMMABLE	29
TUBE T8.....	30

INDOOR LUMINAIRES

DOWNLIGHTS STANDARD & 3CCT.....	33
PANELS UGR<16 DIP SWITCH	34
PANELS UGR<19.....	35
PANELS UGR<19 PRO	36
PANELS UGR<19 PRO S.2.....	36
PANELS UGR<19 PRO S.2 DALI.....	36
PANELS UGR22	37
PANELS ACCESSORIES.....	37
CEILING LIGHTS 3CCT & 3 STEP DIMMING.....	38

OUTDOOR & INDUSTRIAL LUMINAIRES

FLOOD LIGHTS.....	41
HIGH BAY STD.....	43
HIGH BAY STD S.2	44
HIGH BAY PRO DIMMABLE	45
HIGH BAY PRO ACCESSORIES.....	45
WEATHERPROOF	46
TRIPROOF	47

STANDS

LOGISTIC INFORMATION.....

Products shown may vary from actual product.
Product specification and codes subject to change without notice.

Westnet Distribution, a member of Olympia Group, has a remarkable international presence, as the exclusive importer and distributor of TOSHIBA's consumer batteries and LED Lighting products, in more than 60 countries in EMEA region.

Corporate headquarters are located in Athens, Greece and branch offices have been established in Cyprus (since 2017) and Poland (since July 2021).



BATTERIES

In the consumer battery sector, WESTNET represents TOSHIBA in Greece since 1985 and in 2001 became the exclusive distributor in the EMEA region (Europe, Middle East & Africa). WESTNET has been TOSHIBA Consumer Batteries' No 1 Global Distributor over the last decade.

TOSHIBA is a world leading manufacturer of Alkaline, Zinc, Manganese and Lithium batteries. The batteries are suitable and cover a wide range of electronic devices, from low-drain to high-end and digital ones, satisfying, even the most demanding energy need.

 **TOSHIBA EXCLUSIVE DISTRIBUTOR IN EMEA REGION (EUROPE, MIDDLE EAST, AFRICA)**




LED LIGHTING

WESTNET became the exclusive authorized distributor of TOSHIBA LED LIGHTING products in EUROPE since 2020. TOSHIBA is one of the global leaders in the Lighting industry.

The brand's products have been manufactured with the highest Japanese precision specifications for over 125 years. Toshiba's LED Lighting portfolio includes LED lamps and reflectors, luminaires, street luminaires and complete architectural lighting systems.

 **TOSHIBA EXCLUSIVE DISTRIBUTOR IN EUROPE**

WHY US?



Value Added Distributor

Top Class Brand

- ✓ Powerful portfolio with wide range and numerous choices
- ✓ Groundbreaking products with state-of-the-art technology
- ✓ Integrated Solutions to cover all customer needs
- ✓ Outstanding Customer Service always available to offer comprehensive support
- ✓ Japanese Quality reflects certified & warranted product reliability

TOSHIBA

JAPANESE TECHNOLOGY

ENERGY SAVING

PRODUCT QUALITY



TOSHIBA LIGHTING
LED IS MORE



QUALITY OF LIGHT



LONG LIFE CYCLE



ENERGY EFFICIENCY



WIDE PRODUCT RANGE



ECO FRIENDLY



ROBUSTNESS

and more....



NO FLICKER



NO GLARE



EVEN ILLUMINATION



REALISTIC COLOR RENDERING

CHARACTERISTICS OF LED SMD LAMPS


BULB TYPE



SCREW TYPE



LED SMD POWER



COLOR TEMPERATURE (CCT)



Color Temperature (CCT) describes the warmth or coolness of a light source. It is expressed and measured on Kelvin (K) numbered scale.

2700K* (Soft White) & **3000K** (Warm White) give an orange/yellow glow, which create a cozy and relaxing atmosphere.

4000K (Neutral White) offers a clean and refreshing tone which is preferred in spaces, where clarity is of higher importance.

6500K (Cool White), with a slightly blue tint, is brighter and offers more contrast.



*2700K is currently available only for TOSHIBA LED Filament lamps. You can also find our special Color Temperature Filament Lamps at 1800K, 2200K.

COLOR RENDERING INDEX (CRI)




Color Rendering Index (CRI) is a number between 0 and 100 that measures the ability of a light source to accurately reproduce the colors of the object it illuminates. The closer to 100, the better or truer do colors look under this light.



LAMPS



STANDARD A BULB



85% / 85.3% ENERGY SAVING

WARRANTY 5 YEARS

E27

180°


CR180

CE

4.7W → 40W
8.5W → 60W
11W → 75W
15W → 100W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168795	TOSHIBA LED N_STD A60 E27 4.7W 3000K	4711112384396									
00168797	TOSHIBA LED N_STD A60 E27 4.7W 4000K	4711112384402	4.7W	40W	470 LM	X	180°	E27	15000h	F	10
00168799	TOSHIBA LED N_STD A60 E27 4.7W 6500K	4711112384419									
00168800	TOSHIBA LED N_STD A60 E27 8.5W 3000K	4711112384426									
00168802	TOSHIBA LED N_STD A60 E27 8.5W 4000K	4711112384433	8.5W	60W	806 LM	X	180°	E27	15000h	F	10
00168804	TOSHIBA LED N_STD A60 E27 8.5W 6500K	4711112384440									
00168806	TOSHIBA LED N_STD A60 E27 11W 3000K	4711112384457									
00168807	TOSHIBA LED N_STD A60 E27 11W 4000K	4711112384464	11W	75W	1055 LM	X	180°	E27	15000h	F	10
00168808	TOSHIBA LED N_STD A60 E27 11W 6500K	4711112384471									
00168809	TOSHIBA LED N_STD A70 E27 15W 3000K	4711112384488									
00168810	TOSHIBA LED N_STD A70 E27 15W 4000K	4711112384495	15W	100W	1521 LM	X	180°	E27	15000h	F	10
00168811	TOSHIBA LED N_STD A70 E27 15W 6500K	4711112384501									

STANDARD A BULB



85% / 85.3% ENERGY SAVING

WARRANTY 5 YEARS

B22

180°

CR180

CE

8.5W → 60W
11W → 75W
15W → 100W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00180077	TOSHIBA LED STD A60 B22 8.5W 3000K	4711112380220									
00180078	TOSHIBA LED STD A60 B22 8.5W 4000K	4711112380244	8.5W	60W	806 LM	X	180°	B22	15000h	F	10
00180079	TOSHIBA LED STD A60 B22 8.5W 6500K	4711112380251									
00180080	TOSHIBA LED STD A60 B22 11W 3000K	4711112380305									
00180081	TOSHIBA LED STD A60 B22 11W 4000K	4711112380312	11W	75W	1055 LM	X	180°	B22	15000h	F	10
00180082	TOSHIBA LED STD A60 B22 11W 6500K	4711112380336									
00180083	TOSHIBA LED STD A70 B22 15W 3000K	4711112380367									
00180084	TOSHIBA LED STD A70 B22 15W 4000K	4711112380374	15W	100W	1521 LM	X	180°	B22	15000h	F	10
00180085	TOSHIBA LED STD A70 B22 15W 6500K	4711112380398									

STANDARD CANDLE



E27 4.7W 7W E14
 40W 60W
 87.5% / 88.80% ENERGY SAVING
 5 YEARS WARRANTY
 E14/E27 220° CR180 CE
 Φ 36.5mm 100mm C37 4.7W
 Φ 36.5mm 109mm C37 E14 7W
 Φ 36.5mm 108mm C37 E27 7W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168815	TOSHIBA LED N_STD C37 E14 4.7W 3000K	4711112384600									
00168817	TOSHIBA LED N_STD C37 E14 4.7W 4000K	4711112384617	4.7W	40W	470 LM	X	220°	E14	15000h	F	10
00168818	TOSHIBA LED N_STD C37 E14 4.7W 6500K	4711112384624									
00168820	TOSHIBA LED N_STD C37 E27 4.7W 3000K	4711112384570									
00168826	TOSHIBA LED N_STD C37 E27 4.7W 4000K	4711112384587	4.7W	40W	470 LM	X	220°	E27	15000h	F	10
00168828	TOSHIBA LED N_STD C37 E27 4.7W 6500K	4711112384594									
00168835	TOSHIBA LED N_STD C37 E14 7W 3000K	4711112384662									
00168836	TOSHIBA LED N_STD C37 E14 7W 4000K	4711112384679	7W	60W	806 LM	X	220°	E14	15000h	E	10
00168838	TOSHIBA LED N_STD C37 E14 7W 6500K	4711112384686									
00168839	TOSHIBA LED N_STD C37 E27 7W 3000K	4711112384631									
00168840	TOSHIBA LED N_STD C37 E27 7W 4000K	4711112384648	7W	60W	806 LM	X	220°	E27	15000h	E	10
00168841	TOSHIBA LED N_STD C37 E27 7W 6500K	4711112384655									

STANDARD GOLF




E14 4.7W 7W E27
 40W 60W
 87.5% / 88.80% ENERGY SAVING
 5 YEARS WARRANTY
 E14/E27 180° CR180 CE
 Φ 45mm 78mm G45 4.7W
 Φ 45mm 89mm G45 E14 7W
 Φ 45mm 88mm G45 E27 7W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168849	TOSHIBA LED N_STD G45 E14 4.7W 3000K	4711112384785									
00168850	TOSHIBA LED N_STD G45 E14 4.7W 4000K	4711112384792	4.7W	40W	470 LM	X	180°	E14	15000h	F	10
00168851	TOSHIBA LED N_STD G45 E14 4.7W 6500K	4711112384808									
00168852	TOSHIBA LED N_STD G45 E27 4.7W 3000K	4711112384754									
00168853	TOSHIBA LED N_STD G45 E27 4.7W 4000K	4711112384761	4.7W	40W	470 LM	X	180°	E27	15000h	F	10
00168854	TOSHIBA LED N_STD G45 E27 4.7W 6500K	4711112384778									
00168855	TOSHIBA LED N_STD G45 E14 7W 3000K	4711112384846									
00168856	TOSHIBA LED N_STD G45 E14 7W 4000K	4711112384853	7W	60W	806 LM	X	180°	E14	15000h	E	10
00168857	TOSHIBA LED N_STD G45 E14 7W 6500K	4711112384860									
00168858	TOSHIBA LED N_STD G45 E27 7W 3000K	4711112384815									
00168859	TOSHIBA LED N_STD G45 E27 7W 4000K	4711112384822	7W	60W	806 LM	X	180°	E27	15000h	E	10
00168860	TOSHIBA LED N_STD G45 E27 7W 6500K	4711112384839									

STANDARD GU10



4W 5.5W 7W
 ↓ ↓ ↓
 50W 63W 76W



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168861	TOSHIBA LED N_STD GU10 4W 3000K	4711112384877									
00168862	TOSHIBA LED N_STD GU10 4W 4000K	4711112384884	4W	50W	345 LM	X	38°	GU10	15000h	F	10
00168863	TOSHIBA LED N_STD GU10 4W 6500K	4711112384891									
00168864	TOSHIBA LED N_STD GU10 5.5W 3000K	4711112384907									
00168865	TOSHIBA LED N_STD GU10 5.5W 4000K	4711112384914	5.5W	63W	450 LM	X	38°	GU10	15000h	F	10
00168866	TOSHIBA LED N_STD GU10 5.5W 6500K	4711112384921									
00168867	TOSHIBA LED N_STD GU10 7W 3000K	4711112384938									
00168868	TOSHIBA LED N_STD GU10 7W 4000K	4711112384945	7W	76W	560 LM	X	38°	GU10	15000h	F	10
00168869	TOSHIBA LED N_STD GU10 7W 6500K	4711112384952									

TOSHIBA PROMO PACKS

STANDARD A BULB
3PACK




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168871	TOSHIBA LED N_STD A60 E27 8.5W 3000K	4711112385058									
00168876	TOSHIBA LED N_STD A60 E27 8.5W 4000K	4711112385355	8.5W	60W	806 LM	X	180°	E27	15000h	F	10
00168877	TOSHIBA LED N_STD A60 E27 8.5W 5000K	4711112385362									

STANDARD CANDLE
3PACK



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168872	TOSHIBA LED N_STD C37 E14 4.7W 3000K	4711112385065									
00168873	TOSHIBA LED N_STD C37 E14 4.7W 4000K	4711112385379	4.7W	40W	470 LM	X	220°	E14	15000h	F	10

STANDARD GOLF
3PACK




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00168874	TOSHIBA LED N_STD G45 E27 4.7W 3000K	4711112385386									
00168875	TOSHIBA LED N_STD G45 E27 4.7W 4000K	4711112385393	4.7W	40W	470 LM	X	180°	E27	15000h	F	10

STANDARD A BULB DIMMABLE



5.5W 8.5W 11W 14W
 ↓ ↓ ↓ ↓
 40W 60W 75W 100W





WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172674	TOSHIBA LED STD A60 E27 5.5W 3000K DIM	4711112387236									
00172676	TOSHIBA LED STD A60 E27 5.5W 4000K DIM	4711112387243	5.5W	40W	470 LM	✓	180°	E27	15000h	F	10
00172678	TOSHIBA LED STD A60 E27 5.5W 6500K DIM	4711112387250									
00172679	TOSHIBA LED STD A60 E27 8.5W 3000K DIM	4711112387267									
00172680	TOSHIBA LED STD A60 E27 8.5W 4000K DIM	4711112387274	8.5W	60W	806 LM	✓	180°	E27	15000h	F	10
00172681	TOSHIBA LED STD A60 E27 8.5W 6500K DIM	4711112387281									
00172682	TOSHIBA LED STD A60 E27 11W 3000K DIM	4711112387298									
00172683	TOSHIBA LED STD A60 E27 11W 4000K DIM	4711112387304	11W	75W	1055 LM	✓	180°	E27	15000h	F	10
00172684	TOSHIBA LED STD A60 E27 11W 6500K DIM	4711112387311									
00172685	TOSHIBA LED STD A65 E27 14W 3000K DIM	4711112387328									
00172686	TOSHIBA LED STD A65 E27 14W 4000K DIM	4711112387335	14W	100W	1521 LM	✓	150°	E27	15000h	F	10
00172687	TOSHIBA LED STD A65 E27 14W 6500K DIM	4711112387342									

STANDARD CANDLE DIMMABLE




E27 5W E14
 ↓
 40W




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172688	TOSHIBA LED STD C35 E14 5W 3000K DIM	4711112387359									
00172692	TOSHIBA LED STD C35 E14 5W 4000K DIM	4711112387366	5W	40W	470 LM	✓	240°	E14	15000h	F	10
00172693	TOSHIBA LED STD C35 E14 5W 6500K DIM	4711112387373									
00172695	TOSHIBA LED STD C35 E27 5W 3000K DIM	4711112387380									
00172696	TOSHIBA LED STD C35 E27 5W 4000K DIM	4711112387397	5W	40W	470 LM	✓	240°	E27	15000h	F	10
00172697	TOSHIBA LED STD C35 E27 5W 6500K DIM	4711112387403									

STANDARD GOLF DIMMABLE




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172698	TOSHIBA LED STD G45 E14 5W 3000K DIM	4711112387410									
00172699	TOSHIBA LED STD G45 E14 5W 4000K DIM	4711112387427	5W	40W	470 LM	✓	150°	E14	15000h	F	10
00172700	TOSHIBA LED STD G45 E14 5W 6500K DIM	4711112387434									
00172701	TOSHIBA LED STD G45 E27 5W 3000K DIM	4711112387441									
00172702	TOSHIBA LED STD G45 E27 5W 4000K DIM	4711112387458	5W	40W	470 LM	✓	150°	E27	15000h	F	10
00172703	TOSHIBA LED STD G45 E27 5W 6500K DIM	4711112387465									

STANDARD GU10 DIMMABLE



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172704	TOSHIBA LED STD GU10 5W 3000K DIM	4711112387472									
00172705	TOSHIBA LED STD GU10 5W 4000K DIM	4711112387489	5W	50W	345 LM	✓	36°	GU10	15000h	G	10
00172706	TOSHIBA LED STD GU10 5W 6500K DIM	4711112387496									
00172707	TOSHIBA LED STD GU10 7W 3000K DIM	4711112387502									
00172708	TOSHIBA LED STD GU10 7W 4000K DIM	4711112387519	7W	75W	520 LM	✓	36°	GU10	15000h	F	10
00172709	TOSHIBA LED STD GU10 7W 6500K DIM	4711112387526									

FILAMENT A BULB





4.5W ↓ 40W
 7W ↓ 60W
 8.5W ↓ 75W
 10.5W ↓ 100W

4.5W ↓ 25W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172710	TOSHIBA LED FILAMENT A60 E27 4.5W 2700K	4711112384211	CLEAR	4.5W	40W	470 LM	X	270°	E27	15000h	F	10
00172716	TOSHIBA LED FILAMENT A60 E27 7W 2700K	4711112384228	CLEAR	7W	60W	806 LM	X	270°	E27	15000h	E	10
00172717	TOSHIBA LED FILAMENT A60 E27 8.5W 2700K	4711112384235	CLEAR	8.5W	75W	1055 LM	X	270°	E27	15000h	E	10
00172718	TOSHIBA LED FILAMENT A60 E27 10.5W 2700K	4711112384242	CLEAR	10.5W	100W	1521 LM	X	270°	E27	15000h	D	10
00172719	TOSHIBA LED FILAMENT (AMBER) A60 E27 4.5W 2200K	4711112386833	AMBER	4.5W	25W	400 LM	X	270°	E27	15000h	F	10
00172720	TOSHIBA LED FILAMENT (SMOKY) A60 E27 4.5W 1800K	4711112386840	SMOKY	4.5W	25W	225 LM	X	270°	E27	15000h	-	10
00172721	TOSHIBA LED FILAMENT (SPIRAL AMBER) A60 E27 4.5W 2200K	4711112386857	SPIRAL AMBER	4.5W	25W	400 LM	X	270°	E27	15000h	F	10

FILAMENT CANDLE



2.5W ↓ 25W
 4.5W ↓ 40W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172722	TOSHIBA LED FILAMENT C35 E14 2.5W 2700K	4711112384273	CLEAR	2.5W	25W	250 LM	X	270°	E14	15000h	F	10
00172723	TOSHIBA LED FILAMENT C35 E14 4.5W 2700K	4711112384280	CLEAR	4.5W	40W	470 LM	X	270°	E14	15000h	F	10
00172724	TOSHIBA LED FILAMENT CF35 E14 2.5W 2700K	4711112384310	CLEAR	2.5W	25W	250 LM	X	270°	E14	15000h	F	10
00172725	TOSHIBA LED FILAMENT CF35 E14 4.5W 2700K	4711112384327	CLEAR	4.5W	40W	470 LM	X	270°	E14	15000h	F	10

FILAMENT GOLF




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172728	TOSHIBA LED FILAMENT G45 E14 2.5W 2700K	4711112384358	CLEAR	2.5W	25W	250 LM	X	270°	E14	15000h	F	10
00172729	TOSHIBA LED FILAMENT G45 E14 4.5W 2700K	4711112384365	CLEAR	4.5W	40W	470 LM						
00172730	TOSHIBA LED FILAMENT G45 E27 2.5W 2700K	4711112384334	CLEAR	2.5W	25W	250 LM	X	270°	E27	15000h	F	10
00172731	TOSHIBA LED FILAMENT G45 E27 4.5W 2700K	4711112384341	CLEAR	4.5W	40W	470 LM						
00172732	TOSHIBA LED FILAMENT (RED) G45 E14 4.5W	4711112386888	COLORED RED GLASS	4.5W	-	-	X	270°	E14	15000h	-	10
00172733	TOSHIBA LED FILAMENT (RED) G45 E27 4.5W	4711112386895	COLORED RED GLASS	4.5W	-	-			E27			
00172734	TOSHIBA LED FILAMENT (BLUE) G45 E14 4.5W	4711112386901	COLORED BLUE GLASS	4.5W	-	-	X	270°	E14	15000h	-	10
00172735	TOSHIBA LED FILAMENT (BLUE) G45 E27 4.5W	4711112386918	COLORED BLUE GLASS	4.5W	-	-			E27			
00172736	TOSHIBA LED FILAMENT (YELLOW) G45 E14 4.5W	4711112386925	COLORED YELLOW GLASS	4.5W	-	-	X	270°	E14	15000h	-	10
00172737	TOSHIBA LED FILAMENT (YELLOW) G45 E27 4.5W	4711112386932	COLORED YELLOW GLASS	4.5W	-	-			E27			

FILAMENT G95



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172738	TOSHIBA LED FILAMENT G95 E27 7W 2700K	4711112384389	CLEAR	7W	60W	806 LM	X	270°	E27	15000h	E	4
00172739	TOSHIBA LED FILAMENT G95 E27 8.5W 2700K	4711112386949	CLEAR	8.5W	75W	1055 LM	X	270°	E27	15000h	E	4
00172740	TOSHIBA LED FILAMENT G95 E27 11W 2700K	4711112386956	CLEAR	11W	100W	1521 LM	X	270°	E27	15000h	D	4

FILAMENT ST64




4.5W
↓
40W

7W
↓
60W

4.5W
↓
25W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172741	TOSHIBA LED FILAMENT ST64 E27 4.5W 2700K	4711112386963	CLEAR	4.5W	40W	470 LM	X	270°	E27	15000h	F	8
00172743	TOSHIBA LED FILAMENT ST64 E27 7W 2700K	4711112386970	CLEAR	7W	60W	806 LM	X	270°	E27	15000h	E	8
00172744	TOSHIBA LED FILAMENT (AMBER) ST64 E27 4.5W 2200K	4711112386987	AMBER	4.5W	25W	400 LM	X	270°	E27	15000h	F	8

FILAMENT T25



4.5W
↓
40W

4.5W
↓
25W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172745	TOSHIBA LED FILAMENT T25 E14 4.5W 2700K	4711112387007	CLEAR	4.5W	40W	470 LM	X	270°	E14	15000h	F	10
00172746	TOSHIBA LED FILAMENT (AMBER) T25 E14 4.5W 2200K	4711112387014	AMBER	4.5W	25W	400 LM	X	270°	E14	15000h	F	10

FILAMENT A BULB DIMMABLE




4.5W ↓ 40W
 7W ↓ 60W
 9W ↓ 75W
 11W ↓ 100W
 4.9W ↓ 25W
 4.5W ↓ 25W




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172748	TOSHIBA LED FILAMENT A60 E27 4.5W 2700K DIM	4711112387021	CLEAR	4.5W	40W	470 LM	✓	270°	E27	15000h	F	10
00172749	TOSHIBA LED FILAMENT A60 E27 7W 2700K DIM	4711112387038	CLEAR	7W	60W	806 LM	✓	270°	E27	15000h	E	10
00172750	TOSHIBA LED FILAMENT A60 E27 9W 2700K DIM	4711112387045	CLEAR	9W	75W	1055 LM	✓	270°	E27	15000h	E	10
00172751	TOSHIBA LED FILAMENT A60 E27 11W 2700K DIM	4711112387052	CLEAR	11W	100W	1521 LM	✓	270°	E27	15000h	D	10
00172752	TOSHIBA LED FILAMENT (AMBER) A60 E27 4.5W 2200K DIM	4711112387069	AMBER	4.5W	25W	400 LM	✓	270°	E27	15000h	F	10
00172753	TOSHIBA LED FILAMENT (SMOKY) A60 E27 4.5W 1800K DIM	4711112387076	SMOKY	4.5W	25W	225 LM	✓	270°	E27	15000h	-	10
00172754	TOSHIBA LED FILAMENT (SPIRAL AMBER) A60 E27 4.9W 2200K DIM	4711112387083	SPIRAL AMBER	4.9W	25W	400 LM	✓	270°	E27	15000h	G	10

FILAMENT CANDLE DIMMABLE



2.5W ↓ 25W
 4.5W ↓ 40W



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172755	TOSHIBA LED FILAMENT C35 E14 2.5W 2700K DIM	4711112387090	CLEAR	2.5W	25W	250 LM	✓	270°	E14	15000h	F	10
00172756	TOSHIBA LED FILAMENT C35 E14 4.5W 2700K DIM	4711112387106	CLEAR	4.5W	40W	470 LM	✓	270°	E14	15000h	F	10
00172757	TOSHIBA LED FILAMENT CF35 E14 2.5W 2700K DIM	4711112387113	CLEAR	2.5W	25W	250 LM	✓	270°	E14	15000h	F	10
00172758	TOSHIBA LED FILAMENT CF35 E14 4.5W 2700K DIM	4711112387120	CLEAR	4.5W	40W	470 LM	✓	270°	E14	15000h	F	10

FILAMENT GOLF DIMMABLE



2.5W
↓
25W

4.5W
↓
40W



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172759	TOSHIBA LED FILAMENT G45 E14 2.5W 2700K DIM	4711112387137	CLEAR	2.5W	25W	250 LM	✓	270°	E14	15000h	F	10
00172760	TOSHIBA LED FILAMENT G45 E14 4.5W 2700K DIM	4711112387144	CLEAR	4.5W	40W	470 LM	✓	270°	E14	15000h	F	10

FILAMENT G95 DIMMABLE



7W
↓
60W


9W
↓
75W

11W
↓
100W



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172761	TOSHIBA LED FILAMENT G95 E27 7W 2700K DIM	4711112387151	CLEAR	7W	60W	806 LM	✓	270°	E27	15000h	E	4
00172762	TOSHIBA LED FILAMENT G95 E27 9W 2700K DIM	4711112387168	CLEAR	9W	75W	1055 LM	✓	270°	E27	15000h	E	4
00172763	TOSHIBA LED FILAMENT G95 E27 11W 2700K DIM	4711112387175	CLEAR	11W	100W	1521 LM	✓	270°	E27	15000h	D	4

FILAMENT ST64 DIMMABLE




4.5W
↓
40W

7W
↓
60W

4.5W
↓
25W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172764	TOSHIBA LED FILAMENT ST64 E27 4.5W 2700K DIM	4711112387182	CLEAR	4.5W	40W	470 LM	✓	270°	E27	15000h	F	8
00172765	TOSHIBA LED FILAMENT ST64 E27 7W 2700K DIM	4711112387199	CLEAR	7W	60W	806 LM	✓	270°	E27	15000h	E	8
00172766	TOSHIBA LED FILAMENT (AMBER) ST64 E27 4.5W 2200K DIM	4711112387205	AMBER	4.5W	25W	400 LM	✓	270°	E27	15000h	F	8

FILAMENT T25 DIMMABLE



4.5W
↓
40W


4.5W
↓
25W

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	GLASS	WATT	WATT EQ.	LUMEN	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172767	TOSHIBA LED FILAMENT T25 E14 4.5W 2700K DIM	4711112387212	CLEAR	4.5W	40W	470 LM	✓	270°	E14	15000h	F	10
00172768	TOSHIBA LED FILAMENT (AMBER) T25 E14 4.5W 2200K DIM	4711112387229	AMBER	4.5W	25W	400 LM	✓	270°	E14	15000h	F	10

TUBE T8



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	BASE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172777	TOSHIBA LED T8 600 9W 3000K	4711112387908	9W	990 LM	110 LM/W	X	200°	G13	15000h	E	25
00172778	TOSHIBA LED T8 600 9W 4000K	4711112387915									
00172779	TOSHIBA LED T8 600 9W 5000K	4711112387922									
00172780	TOSHIBA LED T8 600 9W 6500K	4711112387939	18W	1980 LM	110 LM/W	X	200°	G13	15000h	E	25
00172781	TOSHIBA LED T8 1200 18W 3000K	4711112387946									
00172782	TOSHIBA LED T8 1200 18W 4000K	4711112387953									
00172783	TOSHIBA LED T8 1200 18W 5000K	4711112387960									
00172784	TOSHIBA LED T8 1200 18W 6500K	4711112387977									
00172785	TOSHIBA LED T8 1500 22W 3000K	4711112387984	22W	2420 LM	110 LM/W	X	200°	G13	15000h	E	25
00172786	TOSHIBA LED T8 1500 22W 4000K	4711112387991									
00172787	TOSHIBA LED T8 1500 22W 5000K	4711112388004									
00172788	TOSHIBA LED T8 1500 22W 6500K	4711112388011									



INDOOR LUMINAIRES



DOWNLIGHTS

INDOOR LUMINAIRES **TOSHIBA LED LIGHTING**

DOWNLIGHTS STANDARD & 3CCT



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172857	TOSHIBA LED DOWNLIGHT D100 8W 3000K	4711112387816								
00172858	TOSHIBA LED DOWNLIGHT D100 8W 4000K	4711112387823	8W	750 LM	94 LM/W	X	110°	15000h	F	10
00172859	TOSHIBA LED DOWNLIGHT D100 8W 6500K	4711112387830								
00172860	TOSHIBA LED DOWNLIGHT D150 16W 3000K	4711112387847								
00172861	TOSHIBA LED DOWNLIGHT D150 16W 4000K	4711112387854	16W	1650 LM	103 LM/W	X	110°	15000h	F	10
00172862	TOSHIBA LED DOWNLIGHT D150 16W 6500K	4711112387861								
00172863	TOSHIBA LED DOWNLIGHT D200 24W 3000K	4711112387878								
00172864	TOSHIBA LED DOWNLIGHT D200 24W 4000K	4711112387885	24W	2500 LM	104 LM/W	X	110°	15000h	F	10
00172865	TOSHIBA LED DOWNLIGHT D200 24W 6500K	4711112387892								

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00173002	TOSHIBA LED DOWNLIGHT D100 8W 3CCT	4711112386239	8W	750 LM	94 LM/W	X	110°	15000h	F	10
00172866	TOSHIBA LED DOWNLIGHT D150 16W 3CCT	4711112386246	16W	1650 LM	103 LM/W	X	110°	15000h	F	10
00172867	TOSHIBA LED DOWNLIGHT D200 24W 3CCT	4711112386253	24W	2600 LM	108 LM/W	X	110°	15000h	F	10

PANELS UGR<16 DIP SWITCH



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	UGR	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172932	TOSHIBA LED PANEL UGR<16 60X60 40W 3000K DIP	4711112385553	34W 36W 38W 40W	3760LM 3980LM 4200LM 4420LM	130 LM/W					E	4
00172933	TOSHIBA LED PANEL UGR<16 60X60 40W 4000K DIP	4711112385560	34W 36W 38W 40W	4050LM 4285LM 4520LM 4760LM	140 LM/W	DIP	75°	UGR<16	50000h	E	4
00172934	TOSHIBA LED PANEL UGR<16 60X60 40W 5000K DIP	4711112385577	34W 36W 38W 40W	4050LM 4285LM 4520LM 4760LM	140 LM/W					E	4
00172935	TOSHIBA LED PANEL UGR<16 62X62 40W 3000K DIP	4711112385584	34W 36W 38W 40W	3760LM 3980LM 4200LM 4420LM	130 LM/W					E	4
00172936	TOSHIBA LED PANEL UGR<16 62X62 40W 4000K DIP	4711112385591	34W 36W 38W 40W	4050LM 4285LM 4520LM 4760LM	140 LM/W	DIP	75°	UGR<16	50000h	E	4
00172937	TOSHIBA LED PANEL UGR<16 62X62 40W 5000K DIP	4711112385607	34W 36W 38W 40W	4050LM 4285LM 4520LM 4760LM	140 LM/W					E	4

PANELS UGR<19



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	UGR	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172890	TOSHIBA LED PANEL STD UGR<19 60X60 36W 3000K	4711112387571									
00172891	TOSHIBA LED PANEL STD UGR<19 60X60 36W 4000K	4711112387588	36W	3060 LM	100 LM/W	X	90°	UGR<19	25000h	F	4
00172892	TOSHIBA LED PANEL STD UGR<19 60X60 36W 5000K	4711112387595									
00172893	TOSHIBA LED PANEL STD UGR<19 60X60 36W 6500K	4711112387601									
00172894	TOSHIBA LED PANEL STD UGR<19 62X62 36W 3000K	4711112387618									
00172913	TOSHIBA LED PANEL STD UGR<19 62X62 36W 4000K	4711112387625	36W	3060 LM	100 LM/W	X	90°	UGR<19	25000h	F	4
00172914	TOSHIBA LED PANEL STD UGR<19 62X62 36W 5000K	4711112387632									
00172915	TOSHIBA LED PANEL STD UGR<19 62X62 36W 6500K	4711112387649									
00172916	TOSHIBA LED PANEL STD UGR<19 120X30 36W 3000K	4711112387656									
00172917	TOSHIBA LED PANEL STD UGR<19 120X30 36W 4000K	4711112387663	36W	3060 LM	100 LM/W	X	90°	UGR<19	25000h	F	4
00172918	TOSHIBA LED PANEL STD UGR<19 120X30 36W 5000K	4711112387670									
00172919	TOSHIBA LED PANEL STD UGR<19 120X30 36W 6500K	4711112387687									

PANELS UGR<19 PRO



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	UGR	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172920	TOSHIBA LED PANEL PRO UGR<19 60X60 36W 3000K	4711112387694	36W	3670 LM	120 LM/W	X	90°	UGR<19	25000h	E	4
00172921	TOSHIBA LED PANEL PRO UGR<19 60X60 36W 4000K	4711112387700									
00172922	TOSHIBA LED PANEL PRO UGR<19 60X60 36W 5000K	4711112387717									
00172923	TOSHIBA LED PANEL PRO UGR<19 60X60 36W 6500K	4711112387724									
00172924	TOSHIBA LED PANEL PRO UGR<19 62X62 36W 3000K	4711112387731	36W	3670 LM	120 LM/W	X	90°	UGR<19	25000h	E	4
00172925	TOSHIBA LED PANEL PRO UGR<19 62X62 36W 4000K	4711112387748									
00172926	TOSHIBA LED PANEL PRO UGR<19 62X62 36W 5000K	4711112387755									
00172927	TOSHIBA LED PANEL PRO UGR<19 62X62 36W 6500K	4711112387762									
00172928	TOSHIBA LED PANEL PRO UGR<19 120X30 36W 3000K	4711112387779	36W	3670 LM	120 LM/W	X	90°	UGR<19	25000h	E	4
00172929	TOSHIBA LED PANEL PRO UGR<19 120X30 36W 4000K	4711112387786									
00172930	TOSHIBA LED PANEL PRO UGR<19 120X30 36W 5000K	4711112387793									
00172931	TOSHIBA LED PANEL PRO UGR<19 120X30 36W 6500K	4711112387809									

PANELS UGR<19 PRO S.2



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	UGR	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00178156	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W 3000K	4711112389797	25W	3400 LM	156 LM/W	X	90°	UGR<19	50000h	D	6
00178159	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W 4000K	4711112389803									
00178161	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W 5000K	4711112389810									
00178163	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W 6500K	4711112389827									

PANELS UGR<19 PRO S.2 DALI



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	UGR	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00180343	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W DALI 3000K	4711112383610	25W	3400 LM	156 LM/W	✓	90°	UGR<19	50000h	D	6
00180344	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W DALI 4000K	4711112383627									
00180345	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W DALI 5000K	4711112383634									
00180346	TOSHIBA LED PANEL PRO S.2 UGR<19 60X60 25W DALI 6500K	4711112383641									

PANELS UGR22



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	UGR	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172886	TOSHIBA LED PANEL UGR 22 60X60 36W 3000K	4711112387533	36W	2880 LM	94 LM/W	X	120°	UGR 22	25000h	F	6
00172887	TOSHIBA LED PANEL UGR 22 60X60 36W 4000K	4711112387540									
00172888	TOSHIBA LED PANEL UGR 22 60X60 36W 5000K	4711112387557									
00172889	TOSHIBA LED PANEL UGR 22 60X60 36W 6500K	4711112387564									

PANELS ACCESSORIES

WESTNET CODE	WESTNET DESCRIPTION	DIMENSIONS	EAN-13 BARCODE
00178996	TSB 60X60 SURFACE MOUNTING KIT	598 x 598 x 65 mm	1112387533008
00180070	TSB 120X30 SURFACE MOUNTING KIT	1198 x 298 x 65 mm	1112387540006

CEILING LIGHTS 3CCT & 3 STEP DIMMING



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	FRAME COLOR	WATT	FUNCTION	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172974	TOSHIBA LED CEILING D300 16W 3CCT (W)	4711112388141	WHITE	16W	CCT SWITCH	1650 LM	103 LM/W	X	110°	15000h	F	12
00172976	TOSHIBA LED CEILING D300 16W 3CCT (B)	4711112388158	BLACK									
00172977	TOSHIBA LED CEILING D400 24W 3CCT (W)	4711112388165	WHITE	24W	CCT SWITCH	2500 LM	104 LM/W	X	110°	15000h	F	6
00172978	TOSHIBA LED CEILING D400 24W 3CCT (B)	4711112388172	BLACK									
00172979	TOSHIBA LED CEILING D480 40W 3CCT (W)	4711112388189	WHITE	40W	CCT SWITCH	4200 LM	105 LM/W	X	110°	15000h	F	6
00172980	TOSHIBA LED CEILING D480 40W 3CCT (B)	4711112388196	BLACK									

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	FRAME COLOR	WATT	FUNCTION	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172981	TOSHIBA LED CEILING D300 16W 3000K 3BRIGHT (W)	4711112388202	WHITE	16W	LUMEN SWITCH	1650 LM	103 LM/W	3X ON/OFF	110°	15000h	F	12
00172982	TOSHIBA LED CEILING D300 16W 4000K 3BRIGHT (W)	4711112388219	WHITE									
00172983	TOSHIBA LED CEILING D300 16W 6500K 3BRIGHT (W)	4711112388226	WHITE									
00172984	TOSHIBA LED CEILING D300 16W 3000K 3BRIGHT (B)	4711112388233	BLACK									
00172985	TOSHIBA LED CEILING D300 16W 4000K 3BRIGHT (B)	4711112388240	BLACK									
00172986	TOSHIBA LED CEILING D300 16W 6500K 3BRIGHT (B)	4711112388257	BLACK									
00172987	TOSHIBA LED CEILING D400 24W 3000K 3BRIGHT (W)	4711112388264	WHITE	24W	LUMEN SWITCH	2500 LM	104 LM/W	3X ON/OFF	110°	15000h	F	6
00172988	TOSHIBA LED CEILING D400 24W 4000K 3BRIGHT (W)	4711112388271	WHITE									
00172989	TOSHIBA LED CEILING D400 24W 6500K 3BRIGHT (W)	4711112388288	WHITE									
00172990	TOSHIBA LED CEILING D400 24W 3000K 3BRIGHT (B)	4711112388295	BLACK									
00172991	TOSHIBA LED CEILING D400 24W 4000K 3BRIGHT (B)	4711112388301	BLACK									
00172992	TOSHIBA LED CEILING D400 24W 6500K 3BRIGHT (B)	4711112388318	BLACK									
00172993	TOSHIBA LED CEILING D480 40W 3000K 3BRIGHT (W)	4711112388325	WHITE	40W	LUMEN SWITCH	4200 LM	105 LM/W	3X ON/OFF	110°	15000h	F	6
00172994	TOSHIBA LED CEILING D480 40W 4000K 3BRIGHT (W)	4711112388332	WHITE									
00172995	TOSHIBA LED CEILING D480 40W 6500K 3BRIGHT (W)	4711112388349	WHITE									
00172996	TOSHIBA LED CEILING D480 40W 3000K 3BRIGHT (B)	4711112388356	BLACK									
00172997	TOSHIBA LED CEILING D480 40W 4000K 3BRIGHT (B)	4711112388363	BLACK									
00172998	TOSHIBA LED CEILING D480 40W 6500K 3BRIGHT (B)	4711112388370	BLACK									



OUTDOOR & INDUSTRIAL LUMINAIRES



FLOOD LIGHTS

OUTDOOR & INDUSTRIAL LUMINAIRES TOSHIBA LED LIGHTING

FLOOD LIGHTS BLACK SHELL




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	SHELL	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172828	TOSHIBA LED FLOOD LIGHT IP65 10W 6500K (B)	4711112386093									
00172829	TOSHIBA LED FLOOD LIGHT IP65 10W 5000K (B)	4711112385485	BLACK	10W	740 LM	87 LM/W	X	120°	15000h	F	10
00172830	TOSHIBA LED FLOOD LIGHT IP65 10W 4000K (B)	4711112383986									
00172831	TOSHIBA LED FLOOD LIGHT IP65 10W 3000K (B)	4711112386109									
00172832	TOSHIBA LED FLOOD LIGHT IP65 20W 6500K (B)	4711112386116									
00172833	TOSHIBA LED FLOOD LIGHT IP65 20W 5000K (B)	4711112385492	BLACK	20W	1530 LM	90 LM/W	X	120°	15000h	F	10
00172834	TOSHIBA LED FLOOD LIGHT IP65 20W 4000K (B)	4711112383993									
00172835	TOSHIBA LED FLOOD LIGHT IP65 20W 3000K (B)	4711112386123									
00172836	TOSHIBA LED FLOOD LIGHT IP65 30W 6500K (B)	4711112386130									
00172837	TOSHIBA LED FLOOD LIGHT IP65 30W 5000K (B)	4711112385508	BLACK	30W	2450 LM	96 LM/W	X	120°	15000h	F	10
00172838	TOSHIBA LED FLOOD LIGHT IP65 30W 4000K (B)	4711112384006									
00172839	TOSHIBA LED FLOOD LIGHT IP65 30W 3000K (B)	4711112386147									
00172840	TOSHIBA LED FLOOD LIGHT IP65 50W 6500K (B)	4711112386154									
00172841	TOSHIBA LED FLOOD LIGHT IP65 50W 5000K (B)	4711112385515	BLACK	50W	4050 LM	95 LM/W	X	120°	15000h	F	5
00172842	TOSHIBA LED FLOOD LIGHT IP65 50W 4000K (B)	4711112384013									
00172843	TOSHIBA LED FLOOD LIGHT IP65 50W 3000K (B)	4711112386161									
00172845	TOSHIBA LED FLOOD LIGHT IP65 100W 6500K (B)	4711112386178									
00172846	TOSHIBA LED FLOOD LIGHT IP65 100W 5000K (B)	4711112385522	BLACK	100W	8350 LM	98 LM/W	X	120°	15000h	F	1
00172847	TOSHIBA LED FLOOD LIGHT IP65 100W 4000K (B)	4711112384020									
00172848	TOSHIBA LED FLOOD LIGHT IP65 100W 3000K (B)	4711112386185									
00172849	TOSHIBA LED FLOOD LIGHT IP65 150W 6500K (B)	4711112386192									
00172850	TOSHIBA LED FLOOD LIGHT IP65 150W 5000K (B)	4711112385539	BLACK	150W	12400 LM	97 LM/W	X	120°	15000h	F	1
00172851	TOSHIBA LED FLOOD LIGHT IP65 150W 4000K (B)	4711112384037									
00172852	TOSHIBA LED FLOOD LIGHT IP65 150W 3000K (B)	4711112386208									
00172853	TOSHIBA LED FLOOD LIGHT IP65 200W 6500K (B)	4711112386215									
00172854	TOSHIBA LED FLOOD LIGHT IP65 200W 5000K (B)	4711112385546	BLACK	200W	16500 LM	97 LM/W	X	120°	15000h	F	1
00172855	TOSHIBA LED FLOOD LIGHT IP65 200W 4000K (B)	4711112384044									
00172856	TOSHIBA LED FLOOD LIGHT IP65 200W 3000K (B)	4711112386222									

FLOOD LIGHTS WHITE SHELL



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	SHELL	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00173300	TOSHIBA LED FLOOD LIGHT IP65 10W 6500K (W)	4711112388547	WHITE	10W	740 LM	87 LM/W	X	120°	15000h	F	10
00173301	TOSHIBA LED FLOOD LIGHT IP65 10W 5000K (W)	4711112388554									
00173302	TOSHIBA LED FLOOD LIGHT IP65 10W 4000K (W)	4711112388561									
00173303	TOSHIBA LED FLOOD LIGHT IP65 10W 3000K (W)	4711112388578	WHITE	20W	1530 LM	90 LM/W	X	120°	15000h	F	10
00173304	TOSHIBA LED FLOOD LIGHT IP65 20W 6500K (W)	4711112388585									
00173305	TOSHIBA LED FLOOD LIGHT IP65 20W 5000K (W)	4711112388592									
00173306	TOSHIBA LED FLOOD LIGHT IP65 20W 4000K (W)	4711112388608	WHITE	30W	2450 LM	96 LM/W	X	120°	15000h	F	10
00173307	TOSHIBA LED FLOOD LIGHT IP65 20W 3000K (W)	4711112388615									
00173308	TOSHIBA LED FLOOD LIGHT IP65 30W 6500K (W)	4711112388622									
00173309	TOSHIBA LED FLOOD LIGHT IP65 30W 5000K (W)	4711112388639	WHITE	50W	4050 LM	95 LM/W	X	120°	15000h	F	5
00173310	TOSHIBA LED FLOOD LIGHT IP65 30W 4000K (W)	4711112388646									
00173311	TOSHIBA LED FLOOD LIGHT IP65 30W 3000K (W)	4711112388653									
00173312	TOSHIBA LED FLOOD LIGHT IP65 50W 6500K (W)	4711112388660	WHITE	100W	8350 LM	98 LM/W	X	120°	15000h	F	1
00173313	TOSHIBA LED FLOOD LIGHT IP65 50W 5000K (W)	4711112388677									
00173314	TOSHIBA LED FLOOD LIGHT IP65 50W 4000K (W)	4711112388684									
00173315	TOSHIBA LED FLOOD LIGHT IP65 50W 3000K (W)	4711112388691	WHITE	150W	12400 LM	97 LM/W	X	120°	15000h	F	1
00173316	TOSHIBA LED FLOOD LIGHT IP65 100W 6500K (W)	4711112388707									
00173317	TOSHIBA LED FLOOD LIGHT IP65 100W 5000K (W)	4711112388714									
00173318	TOSHIBA LED FLOOD LIGHT IP65 100W 4000K (W)	4711112388721	WHITE	200W	16500 LM	97 LM/W	X	120°	15000h	F	1
00173319	TOSHIBA LED FLOOD LIGHT IP65 100W 3000K (W)	4711112388738									
00173320	TOSHIBA LED FLOOD LIGHT IP65 150W 6500K (W)	4711112388745									
00173321	TOSHIBA LED FLOOD LIGHT IP65 150W 5000K (W)	4711112388752	WHITE	200W	16500 LM	97 LM/W	X	120°	15000h	F	1
00173322	TOSHIBA LED FLOOD LIGHT IP65 150W 4000K (W)	4711112388769									
00173323	TOSHIBA LED FLOOD LIGHT IP65 150W 3000K (W)	4711112388776									
00173324	TOSHIBA LED FLOOD LIGHT IP65 200W 6500K (W)	4711112388783	WHITE	200W	16500 LM	97 LM/W	X	120°	15000h	F	1
00173325	TOSHIBA LED FLOOD LIGHT IP65 200W 5000K (W)	4711112388790									
00173326	TOSHIBA LED FLOOD LIGHT IP65 200W 4000K (W)	4711112388806									
00173327	TOSHIBA LED FLOOD LIGHT IP65 200W 3000K (W)	4711112388813									

HIGH BAY STD



WESTNET CODE	WESTNET DESCRIPTION	ITF-14 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172870	TOSHIBA LED HIGHBAY STD IP65 100W 110D 4000K	14711112383051	100W	12900 LM	152 LM/W	X	110°	50000h	D	1
00172871	TOSHIBA LED HIGHBAY STD IP65 100W 110D 5000K	14711112383068								
00172874	TOSHIBA LED HIGHBAY STD IP65 150W 110D 4000K	14711112383105	150W	20000 LM	156 LM/W	X	110°	50000h	D	1
00172875	TOSHIBA LED HIGHBAY STD IP65 150W 110D 5000K	14711112383099								
00172878	TOSHIBA LED HIGHBAY STD IP65 200W 110D 4000K	14711112383136	200W	26300 LM	155 LM/W	X	110°	50000h	D	1
00172879	TOSHIBA LED HIGHBAY STD IP65 200W 110D 5000K	14711112383143								
00172868	TOSHIBA LED HIGHBAY STD IP65 100W 60D 4000K	14711112383037	100W	12000 LM	141 LM/W	X	60°	50000h	D	1
00172869	TOSHIBA LED HIGHBAY STD IP65 100W 90D 4000K	14711112383044					90°			
00172872	TOSHIBA LED HIGHBAY STD IP65 150W 60D 4000K	14711112383075	150W	18500 LM	145 LM/W	X	60°	50000h	D	1
00172873	TOSHIBA LED HIGHBAY STD IP65 150W 90D 4000K	14711112383082					90°			
00172876	TOSHIBA LED HIGHBAY STD IP65 200W 60D 4000K	14711112383112	200W	24500 LM	144 LM/W	X	60°	50000h	D	1
00172877	TOSHIBA LED HIGHBAY STD IP65 200W 90D 4000K	14711112383129					90°			

HIGH BAY STD S.2



WESTNET CODE	WESTNET DESCRIPTION	ITF-14 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00178191	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 90D 4000K	14711112389398								
00178192	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 90D 5000K	14711112389848	100W	10500 LM	123 LM/W	X	90°	26000h	E	1
00178193	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 90D 6500K	14711112389855								
00178194	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 90D 4000K	14711112389428								
00178195	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 90D 5000K	14711112389428	150W	15750 LM	123 LM/W	X	90°	26000h	E	1
00178196	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 90D 6500K	14711112389978								
00178197	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 90D 4000K	14711112389459								
00178198	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 90D 5000K	14711112388049	200W	21000 LM	123 LM/W	X	90°	26000h	E	1
00178199	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 90D 6500K	14711112388056								
00178370	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 70D 4000K	14711112389381								
00178371	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 70D 5000K	14711112388858	100W	10500 LM	123 LM/W	X	70°	26000h	E	1
00178372	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 70D 6500K	14711112389831								
00178373	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 70D 4000K	14711112389411								
00178374	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 70D 5000K	14711112385413	150W	15750 LM	123 LM/W	X	70°	26000h	E	1
00178375	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 70D 6500K	14711112389954								
00178376	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 70D 4000K	14711112389442								
00178377	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 70D 5000K	14711112388025	200W	21000 LM	123 LM/W	X	70°	26000h	E	1
00178378	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 70D 6500K	14711112388032								
00178380	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 110D 4000K	14711112389404								
00178382	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 110D 5000K	14711112389862	100W	11200 LM	132 LM/W	X	110°	26000h	E	1
00178383	TOSHIBA LED HIGHBAY STD S.2 IP65 100W 110D 6500K	14711112385406								
00178384	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 110D 4000K	14711112389435								
00178385	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 110D 5000K	14711112389985	150W	16800 LM	132 LM/W	X	110°	26000h	E	1
00178386	TOSHIBA LED HIGHBAY STD S.2 IP65 150W 110D 6500K	14711112389992								
00178387	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 110D 4000K	14711112389992								
00178388	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 110D 5000K	14711112388063	200W	22400 LM	132 LM/W	X	110°	26000h	E	1
00178389	TOSHIBA LED HIGHBAY STD S.2 IP65 200W 110D 6500K	14711112388070								

HIGH BAY PRO DIMMABLE



WESTNET CODE	WESTNET DESCRIPTION	ITF-14 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172880	TOSHIBA LED HIGHBAY PRO IP65 100W 120D 4000K DIM	14711112385420								
00172881	TOSHIBA LED HIGHBAY PRO IP65 100W 120D 5000K DIM	14711112385437	100W	17000 LM	200 LM/W	1-10 V	120°	50000h	B	1
00172882	TOSHIBA LED HIGHBAY PRO IP65 150W 120D 4000K DIM	14711112385444								
00172883	TOSHIBA LED HIGHBAY PRO IP65 150W 120D 5000K DIM	14711112385451	150W	25500 LM	200 LM/W	1-10 V	120°	50000h	B	1
00172884	TOSHIBA LED HIGHBAY PRO IP65 200W 120D 4000K DIM	14711112385468								
00172885	TOSHIBA LED HIGHBAY PRO IP65 200W 120D 5000K DIM	14711112385475	200W	34000 LM	200 LM/W	1-10 V	120°	50000h	B	1

HIGH BAY PRO ACCESSORIES

WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE
00178411	TSB HB-PRO MICROWAVE SENSOR	111238542305
00178412	TSB PROGRAMMABLE IR REMOTE CONTROLLER	111238543005

WEATHERPROOF




WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172942	TOSHIBA LED WEATHERPROOF 1200 40W 4000K	4711112386314	40W	4600 LM	115 LM/W	X	130°	50000h	E	6
00172943	TOSHIBA LED WEATHERPROOF 1200 40W 5000K	4711112386321								
00172944	TOSHIBA LED WEATHERPROOF 1500 60W 4000K	4711112386338	60W	6900 LM	115 LM/W	X	130°	50000h	E	6
00172946	TOSHIBA LED WEATHERPROOF 1500 60W 5000K	4711112386345								

TRIPROOF



WESTNET CODE	WESTNET DESCRIPTION	EAN-13 BARCODE	WATT	LUMEN	EFFICACY	DIM	BEAM ANGLE	LIFESPAN	ENERGY CLASS	ORD. QTY x (PCS)
00172938	TOSHIBA LED TRIPROOF 1200 30W 4000K	4711112386277	30W	3900 LM	130 LM/W	X	120°	50000h	E	9
00172939	TOSHIBA LED TRIPROOF 1200 30W 5000K	4711112386284								
00172940	TOSHIBA LED TRIPROOF 1500 40W 4000K	4711112386291	40W	5200 LM	130 LM/W	X	120°	50000h	E	9
00172941	TOSHIBA LED TRIPROOF 1500 40W 5000K	4711112386307								



STAND PAPER
TOSHIBA LED 5S



STAND PAPER
TOSHIBA LED 4S



STAND METALLIC
TOSHIBA LED HOOKS 2X3

WESTNET CODE	WESTNET DESCRIPTION	MATERIAL	WIDTH	DEPTH	HEIGHT
00172315	STAND PAPER TOSHIBA LED 5S	CARTON	60 CM	40 CM	130CM
00172471	STAND PAPER TOSHIBA LED 4S	CARTON	40 CM	40 CM	110 CM
00173128	STAND METALLIC TOSHIBA LED HOOKS 2X3	METALLIC	20.5 CM	20 CM	53 CM

LOGISTIC INFORMATION

SMD

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK						
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE
A60 E27	00168795	N_STD A60 E27 4.7W 3000K	1	0,027	0,037	6	6	11,2	471112384396
	00168797	N_STD A60 E27 4.7W 4000K	1	0,027	0,037	6	6	11,2	471112384402
	00168799	N_STD A60 E27 4.7W 6500K	1	0,027	0,037	6	6	11,2	471112384419
	00168800	N_STD A60 E27 8.5W 3000K	1	0,033	0,043	6	6	12	471112384426
	00168802	N_STD A60 E27 8.5W 4000K	1	0,033	0,043	6	6	12	471112384433
	00168804	N_STD A60 E27 8.5W 6500K	1	0,033	0,043	6	6	12	471112384440
	00168806	N_STD A60 E27 11W 3000K	1	0,042	0,054	6	6	12,8	471112384457
	00168807	N_STD A60 E27 11W 4000K	1	0,042	0,054	6	6	12,8	471112384464
00168808	N_STD A60 E27 11W 6500K	1	0,042	0,054	6	6	12,8	471112384471	
A70 E27	00168809	N_STD A70 E27 15W 3000K	1	0,06	0,072	7	7	14,7	471112384488
	00168810	N_STD A70 E27 15W 4000K	1	0,06	0,072	7	7	14,7	471112384495
	00168811	N_STD A70 E27 15W 6500K	1	0,06	0,072	7	7	14,7	471112384501
A60 B22	00180077	STD A60 B22 8.5W 3000K	1	0,033	0,043	6	6	12	471112380220
	00180078	STD A60 B22 8.5W 4000K	1	0,033	0,043	6	6	12	471112380244
	00180079	STD A60 B22 8.5W 6500K	1	0,033	0,043	6	6	12	471112380251
	00180080	STD A60 B22 11W 3000K	1	0,042	0,054	6	6	12,8	471112380305
	00180081	STD A60 B22 11W 4000K	1	0,042	0,054	6	6	12,8	471112380312
	00180082	STD A60 B22 11W 6500K	1	0,042	0,054	6	6	12,8	471112380336
A70 B22	00180083	STD A70 B22 15W 3000K	1	0,06	0,072	7	7	14,7	471112380367
	00180084	STD A70 B22 15W 4000K	1	0,06	0,072	7	7	14,7	471112380374
	00180085	STD A70 B22 15W 6500K	1	0,06	0,072	7	7	14,7	471112380398
C37 E14-E27	00168815	N_STD C37 E14 4.7W 3000K	1	0,018	0,023	3,8	3,8	10,8	471112384600
	00168817	N_STD C37 E14 4.7W 4000K	1	0,018	0,023	3,8	3,8	10,8	471112384617
	00168818	N_STD C37 E14 4.7W 6500K	1	0,018	0,023	3,8	3,8	10,8	471112384624
	00168820	N_STD C37 E27 4.7W 3000K	1	0,019	0,024	3,8	3,8	10,8	471112384570
	00168826	N_STD C37 E27 4.7W 4000K	1	0,019	0,024	3,8	3,8	10,8	471112384587
	00168828	N_STD C37 E27 4.7W 6500K	1	0,019	0,024	3,8	3,8	10,8	471112384594
	00168835	N_STD C37 E14 7W 3000K	1	0,023	0,027	3,8	3,8	11,8	471112384662
	00168836	N_STD C37 E14 7W 4000K	1	0,023	0,027	3,8	3,8	11,8	471112384679
	00168838	N_STD C37 E14 7W 6500K	1	0,023	0,027	3,8	3,8	11,8	471112384686
	00168839	N_STD C37 E27 7W 3000K	1	0,024	0,028	3,8	3,8	11,8	471112384631
	00168840	N_STD C37 E27 7W 4000K	1	0,024	0,028	3,8	3,8	11,8	471112384648
	00168841	N_STD C37 E27 7W 6500K	1	0,024	0,028	3,8	3,8	11,8	471112384655
	00168849	N_STD G45 E14 4.7W 3000K	1	0,017	0,026	4,5	4,5	8,6	471112384785
	00168850	N_STD G45 E14 4.7W 4000K	1	0,017	0,026	4,5	4,5	8,6	471112384792
	00168851	N_STD G45 E14 4.7W 6500K	1	0,017	0,026	4,5	4,5	8,6	471112384808
	G45 E14-E27	00168852	N_STD G45 E27 4.7W 3000K	1	0,018	0,027	4,5	4,5	8,6
00168853		N_STD G45 E27 4.7W 4000K	1	0,018	0,027	4,5	4,5	8,6	471112384761
00168854		N_STD G45 E27 4.7W 6500K	1	0,018	0,027	4,5	4,5	8,6	471112384778
00168855		N_STD G45 E14 7W 3000K	1	0,023	0,031	4,5	4,5	9,6	471112384846
00168856		N_STD G45 E14 7W 4000K	1	0,023	0,031	4,5	4,5	9,6	471112384853
00168857		N_STD G45 E14 7W 6500K	1	0,023	0,031	4,5	4,5	9,6	471112384860
00168858		N_STD G45 E27 7W 3000K	1	0,024	0,032	4,5	4,5	9,6	471112384815
00168859		N_STD G45 E27 7W 4000K	1	0,024	0,032	4,5	4,5	9,6	471112384822
00168860		N_STD G45 E27 7W 6500K	1	0,024	0,032	4,5	4,5	9,6	471112384839
00168861		N_STD GU10 4W 3000K	1	0,027	0,0335	5,1	5,1	6,1	471112384877
00168862		N_STD GU10 4W 4000K	1	0,027	0,0335	5,1	5,1	6,1	471112384884
00168863		N_STD GU10 4W 6500K	1	0,027	0,0335	5,1	5,1	6,1	471112384891
00168864		N_STD GU10 5.5W 3000K	1	0,029	0,0355	5,1	5,1	6,1	471112384907
00168865		N_STD GU10 5.5W 4000K	1	0,029	0,0355	5,1	5,1	6,1	471112384914
00168866		N_STD GU10 5.5W 6500K	1	0,029	0,0355	5,1	5,1	6,1	471112384921
00168867		N_STD GU10 7W 3000K	1	0,033	0,04	5,1	5,1	6,1	471112384938
00168868	N_STD GU10 7W 4000K	1	0,033	0,04	5,1	5,1	6,1	471112384945	
00168869	N_STD GU10 7W 6500K	1	0,033	0,04	5,1	5,1	6,1	471112384952	
BUNDLES E27-E14	00168871	N_3PACK A60 E27 8.5W 3000K	3	0,099	0,122	18,2	6,2	12,2	471112385058
	00168876	N_3PACK A60 E27 8.5W 4000K	3	0,099	0,122	18,2	6,2	12,2	471112385355
	00168877	N_3PACK A60 E27 8.5W 5000K	3	0,099	0,122	18,2	6,2	12,2	471112385362
	00168872	N_3PACK C37 E14 4.7W 3000K	3	0,069	0,089	11,2	3,8	10,8	471112385065
	00168873	N_3PACK C37 E14 4.7W 4000K	3	0,069	0,089	11,2	3,8	10,8	471112385379
	00168874	N_3PACK G45 E27 4.7W 3000K	3	0,072	0,092	13,7	4,5	8,7	471112385386
	00168875	N_3PACK G45 E27 4.7W 4000K	3	0,072	0,092	13,7	4,5	8,7	471112385393

SHRINK						OUTER CARTON						PALLET		ORD. QTY x (PCS)
PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CARTONS	
10	0,37	30	6	22,4	112384396101	100	4,7	32	62	24,5	1471112384393	1600	16	10
10	0,37	30	6	22,4	112384402101	100	4,7	32	62	24,5	1471112384409	1600	16	10
10	0,37	30	6	22,4	112384419101	100	4,7	32	62	24,5	1471112384416	1600	16	10
10	0,43	30	6	24	112384426101	100	5,1	32	62	26	1471112384423	1600	16	10
10	0,43	30	6	24	112384433101	100	5,1	32	62	26	1471112384430	1600	16	10
10	0,43	30	6	24	112384440101	100	5,1	32	62	26	1471112384447	1600	16	10
10	0,54	30	6	25,6	112384457101	100	6,3	32	62	27,5	1471112384454	1600	16	10
10	0,54	30	6	25,6	112384464101	100	6,3	32	62	27,5	1471112384461	1600	16	10
10	0,54	30	6	25,6	112384471101	100	6,3	32	62	27,5	1471112384478	1600	16	10
10	0,72	35	7	29,4	112384488101	100	8,2	37	72	31,5	1471112384485	1200	12	10
10	0,72	35	7	29,4	112384495101	100	8,2	37	72	31,5	1471112384492	1200	12	10
10	0,72	35	7	29,4	112384501101	100	8,2	37	72	31,5	1471112384508	1200	12	10
10	0,43	30	6	24	111238022005	100	5,1	32	62	26	1471112380227	1600	16	10
10	0,43	30	6	24	111238024405	100	5,1	32	62	26	1471112380241	1600	16	10
10	0,43	30	6	24	111238025105	100	5,1	32	62	26	1471112380258	1600	16	10
10	0,54	30	6	25,6	111238030505	100	6,3	32	62	27,5	1471112380302	1600	16	10
10	0,54	30	6	25,6	111238031205	100	6,3	32	62	27,5	1471112380319	1600	16	10
10	0,54	30	6	25,6	111238033605	100	6,3	32	62	27,5	1471112380333	1600	16	10
10	0,72	35	7	29,4	111238036705	100	8,2	37	72	31,5	1471112380364	1200	12	10
10	0,72	35	7	29,4	111238037405	100	8,2	37	72	31,5	1471112380371	1200	12	10
10	0,72	35	7	29,4	111238039805	100	8,2	37	72	31,5	1471112380395	1200	12	10
10	0,23	19	3,8	21,6	112384600101	100	3,1	21	40	23,5	1471112384607	4400	44	10
10	0,23	19	3,8	21,6	112384617101	100	3,1	21	40	23,5	1471112384614	4400	44	10
10	0,23	19	3,8	21,6	112384624101	100	3,1	21	40	23,5	1471112384621	4400	44	10
10	0,24	19	3,8	21,6	112384570101	100	3,2	21	40	23,5	1471112384577	4400	44	10
10	0,24	19	3,8	21,6	112384587101	100	3,2	21	40	23,5	1471112384584	4400	44	10
10	0,24	19	3,8	21,6	112384594101	100	3,2	21	40	23,5	1471112384591	4400	44	10
10	0,27	19	3,8	23,6	112384662101	100	3,5	21	40	25,5	1471112384669	4400	44	10
10	0,27	19	3,8	23,6	112384679101	100	3,5	21	40	25,5	1471112384676	4400	44	10
10	0,27	19	3,8	23,6	112384686101	100	3,5	21	40	25,5	1471112384683	4400	44	10
10	0,28	19	3,8	23,6	112384631101	100	3,6	21	40	25,5	1471112384638	4400	44	10
10	0,28	19	3,8	23,6	112384648101	100	3,6	21	40	25,5	1471112384645	4400	44	10
10	0,28	19	3,8	23,6	112384655101	100	3,6	21	40	25,5	1471112384652	4400	44	10
10	0,26	22,5	4,5	17,2	112384785101	100	3,4	24,5	47	19,5	1471112384782	3500	35	10
10	0,26	22,5	4,5	17,2	112384792101	100	3,4	24,5	47	19,5	1471112384799	3500	35	10
10	0,26	22,5	4,5	17,2	112384808101	100	3,4	24,5	47	19,5	1471112384805	3500	35	10
10	0,27	22,5	4,5	17,2	112384754101	100	3,5	24,5	47	19,5	1471112384751	3500	35	10
10	0,27	22,5	4,5	17,2	112384761101	100	3,5	24,5	47	19,5	14711			

SMD DIMMABLE

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK						
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE
A60 E27	00172674	STD A60 E27 5.5W 3000K DIM	1	0,045	0,055	6	6	11,9	4711112387236
	00172676	STD A60 E27 5.5W 4000K DIM	1	0,045	0,055	6	6	11,9	4711112387243
	00172678	STD A60 E27 5.5W 6500K DIM	1	0,045	0,055	6	6	11,9	4711112387250
	00172679	STD A60 E27 8.5W 3000K DIM	1	0,045	0,055	6	6	11,9	4711112387267
	00172680	STD A60 E27 8.5W 4000K DIM	1	0,045	0,055	6	6	11,9	4711112387274
	00172681	STD A60 E27 8.5W 6500K DIM	1	0,045	0,055	6	6	11,9	4711112387281
	00172682	STD A60 E27 11W 3000K DIM	1	0,05	0,06	6	6	12,6	4711112387298
	00172683	STD A60 E27 11W 4000K DIM	1	0,05	0,06	6	6	12,6	4711112387304
00172684	STD A60 E27 11W 6500K DIM	1	0,05	0,06	6	6	12,6	4711112387311	
A65 E27	00172685	STD A65 E27 14W 3000K DIM	1	0,05	0,06	6,5	6,5	13	4711112387328
	00172686	STD A65 E27 14W 4000K DIM	1	0,05	0,06	6,5	6,5	13	4711112387335
	00172687	STD A65 E27 14W 6500K DIM	1	0,05	0,06	6,5	6,5	13	4711112387342
C35 E14-E27	00172688	STD C35 E14 5W 3000K DIM	1	0,02	0,03	3,7	3,7	11,5	4711112387359
	00172692	STD C35 E14 5W 4000K DIM	1	0,02	0,03	3,7	3,7	11,5	4711112387366
	00172693	STD C35 E14 5W 6500K DIM	1	0,02	0,03	3,7	3,7	11,5	4711112387373
	00172695	STD C35 E27 5W 3000K DIM	1	0,02	0,03	3,7	3,7	11,5	4711112387380
	00172696	STD C35 E27 5W 4000K DIM	1	0,02	0,03	3,7	3,7	11,5	4711112387397
	00172697	STD C35 E27 5W 6500K DIM	1	0,02	0,03	3,7	3,7	11,5	4711112387403
	00172698	STD G45 E14 5W 3000K DIM	1	0,0195	0,0295	4,5	4,5	9,4	4711112387410
G45 E14-E27	00172699	STD G45 E14 5W 4000K DIM	1	0,0195	0,0295	4,5	4,5	9,4	4711112387427
	00172700	STD G45 E14 5W 6500K DIM	1	0,0195	0,0295	4,5	4,5	9,4	4711112387434
	00172701	STD G45 E27 5W 3000K DIM	1	0,0195	0,0295	4,5	4,5	8,6	4711112387441
	00172702	STD G45 E27 5W 4000K DIM	1	0,0195	0,0295	4,5	4,5	8,6	4711112387458
	00172703	STD G45 E27 5W 6500K DIM	1	0,0195	0,0295	4,5	4,5	8,6	4711112387465
	00172704	STD GU10 5W 3000K DIM	1	0,035	0,045	5,1	5,1	6,4	4711112387472
	00172705	STD GU10 5W 4000K DIM	1	0,035	0,045	5,1	5,1	6,4	4711112387489
GU10	00172706	STD GU10 5W 6500K DIM	1	0,035	0,045	5,1	5,1	6,4	4711112387496
	00172707	STD GU10 7W 3000K DIM	1	0,035	0,045	5,1	5,1	6,4	4711112387502
	00172708	STD GU10 7W 4000K DIM	1	0,035	0,045	5,1	5,1	6,4	4711112387519
	00172709	STD GU10 7W 6500K DIM	1	0,035	0,045	5,1	5,1	6,4	4711112387526

SHRINK						OUTER CARTON						PALLET		
PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CARTONS	ORD. QTY x (PCS)
10	0,55	30	6	23,8	14711112387233	100	6,8	22,5	62	31,5	14711112387233	1600	16	10
10	0,55	30	6	23,8	14711112387240	100	6,8	22,5	62	31,5	14711112387240	1600	16	10
10	0,55	30	6	23,8	14711112387257	100	6,8	22,5	62	31,5	14711112387257	1600	16	10
10	0,55	30	6	23,8	14711112387264	100	6,8	22,5	62	31,5	14711112387264	1600	16	10
10	0,55	30	6	23,8	14711112387271	100	6,8	22,5	62	31,5	14711112387271	1600	16	10
10	0,55	30	6	23,8	14711112387288	100	6,8	22,5	62	31,5	14711112387288	1600	16	10
10	0,6	30	6	25,2	14711112387295	100	7,5	26,5	62	31,5	14711112387295	1200	12	10
10	0,6	30	6	25,2	14711112387301	100	7,5	26,5	62	31,5	14711112387301	1200	12	10
10	0,6	30	6	25,2	14711112387318	100	7,5	26,5	62	31,5	14711112387318	1200	12	10
10	0,6	32,5	6,5	26	14711112387325	100	7,5	25	67	34	14711112387325	900	9	10
10	0,6	32,5	6,5	26	14711112387332	100	7,5	25	67	34	14711112387332	900	9	10
10	0,6	32,5	6,5	26	14711112387349	100	7,5	25	67	34	14711112387349	900	9	10
10	0,3	18,5	3,7	23	14711112387356	100	2,8	23	39	20	14711112387356	4800	48	10
10	0,3	18,5	3,7	23	14711112387363	100	2,8	23	39	20	14711112387363	4800	48	10
10	0,3	18,5	3,7	23	14711112387370	100	2,8	23	39	20	14711112387370	4800	48	10
10	0,3	18,5	3,7	23	14711112387387	100	2,8	23	39	20	14711112387387	4800	48	10
10	0,3	18,5	3,7	23	14711112387394	100	2,8	23	39	20	14711112387394	4800	48	10
10	0,3	18,5	3,7	23	14711112387400	100	2,8	23	39	20	14711112387400	4800	48	10
10	0,295	22,5	4,5	18,8	14711112387417	100	3,1	19,5	47	24	14711112387417	3500	35	10
10	0,295	22,5	4,5	18,8	14711112387424	100	3,1	19,5	47	24	14711112387424	3500	35	10
10	0,295	22,5	4,5	18,8	14711112387431	100	3,1	19,5	47	24	14711112387431	3500	35	10
10	0,295	22,5	4,5	17,2	14711112387448	100	3,1	19,5	47	24	14711112387448	3500	35	10
10	0,295	22,5	4,5	17,2	14711112387455	100	3,1	19,5	47	24	14711112387455	3500	35	10
10	0,295	22,5	4,5	17,2	14711112387462	100	3,1	19,5	47	24	14711112387462	3500	35	10
10	0,45	25,5	5,1	12,8	14711112387479	200	9,3	27,2	53	27	14711112387479	3600	18	10
10	0,45	25,5	5,1	12,8	14711112387486	200	9,3	27,2	53	27	14711112387486	3600	18	10
10	0,45	25,5	5,1	12,8	14711112387493	200	9,3	27,2	53	27	14711112387493	3600	18	10
10	0,45	25,5	5,1	12,8	14711112387509	200	9,3	27,2	53	27	14711112387509	3600	18	10
10	0,45	25,5	5,1	12,8	14711112387516	200	9,3	27,2	53	27	14711112387516	3600	18	10
10	0,45	25,5	5,1	12,8	14711112387523	200	9,3	27,2	53	27	14711112387523	3600	18	10

FILAMENT

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK						
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE
A60 E27	00172710	FILAMENT A60 E27 4.5W 2700K	1	0,038	0,043	6,6	6,6	12,1	4711112384211
	00172716	FILAMENT A60 E27 7W 2700K	1	0,038	0,043	6,6	6,6	12,1	4711112384228
	00172717	FILAMENT A60 E27 8.5W 2700K	1	0,038	0,043	6,6	6,6	12,1	4711112384235
	00172718	FILAMENT A60 E27 10.5W 2700K	1	0,038	0,043	6,6	6,6	12,1	4711112384242
	00172719	FILAMENT (AMBER) A60 E27 4.5W 2200K	1	0,038	0,043	6,6	6,6	12,1	4711112386833
	00172720	FILAMENT (SMOKY) A60 E27 4.5W 1800K	1	0,038	0,043	6,6	6,6	12,1	4711112386840
	00172721	FILAMENT (SPIRAL AMBER) A60 E27 4.5W 2200K	1	0,038	0,043	6,6	6,6	12,1	4711112386857
C35 E14	00172722	FILAMENT C35 E14 2.5W 2700K	1	0,03	0,04	3,9	3,9	12,1	4711112384273
	00172723	FILAMENT C35 E14 4.5W 2700K	1	0,03	0,04	3,9	3,9	12,1	4711112384280
CF35 E14	00172724	FILAMENT CF35 E14 2.5W 2700K	1	0,031	0,041	3,9	3,9	12,1	4711112384310
	00172725	FILAMENT CF35 E14 4.5W 2700K	1	0,031	0,041	3,9	3,9	12,1	4711112384327
G45 E14-E27	00172728	FILAMENT G45 E14 2.5W 2700K	1	0,032	0,042	5	5	10,2	4711112384358
	00172729	FILAMENT G45 E14 4.5W 2700K	1	0,032	0,042	5	5	10,2	4711112384365
	00172730	FILAMENT G45 E27 2.5W 2700K	1	0,032	0,042	5	5	10,2	4711112384334
	00172731	FILAMENT G45 E27 4.5W 2700K	1	0,032	0,042	5	5	10,2	4711112384341
	00172732	FILAMENT (RED) G45 E14 4.5W	1	0,032	0,042	5	5	10,2	4711112386888
	00172733	FILAMENT (RED) G45 E27 4.5W	1	0,032	0,042	5	5	10,2	4711112386895
	00172734	FILAMENT (BLUE) G45 E14 4.5W	1	0,032	0,042	5	5	10,2	4711112386901
	00172735	FILAMENT (BLUE) G45 E27 4.5W	1	0,032	0,042	5	5	10,2	4711112386918
	00172736	FILAMENT (YELLOW) G45 E14 4.5W	1	0,032	0,042	5	5	10,2	4711112386925
	00172737	FILAMENT (YELLOW) G45 E27 4.5W	1	0,032	0,042	5	5	10,2	4711112386932
G95 E27	00172738	FILAMENT G95 E27 7W 2700K	1	0,06	0,07	10	10	15,2	4711112384389
	00172739	FILAMENT G95 E27 8.5W 2700K	1	0,06	0,07	10	10	15,2	4711112386949
	00172740	FILAMENT G95 E27 11W 2700K	1	0,06	0,07	10	10	15,2	4711112386956
ST64 E27	00172741	FILAMENT ST64 E27 4.5W 2700K	1	0,04	0,048	7	7	15,2	4711112386963
	00172743	FILAMENT ST64 E27 7W 2700K	1	0,04	0,048	7	7	15,2	4711112386970
	00172744	FILAMENT (AMBER) ST64 E27 4.5W 2200K	1	0,04	0,048	7	7	15,2	4711112386987
T25 E14	00172745	FILAMENT T25 E14 4.5W 2700K	1	0,03	0,035	6,3	4,6	10,2	4711112387007
	00172746	FILAMENT (AMBER) T25 E14 4.5W 2200K	1	0,03	0,035	6,3	4,6	10,2	4711112387014

SHRINK						OUTER CARTON						PALLET		
PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CARTONS	ORD. QTY x (PCS)
10	0,43	33	6,6	24,2	111238421107	100	4,7	33,5	66,5	26,4	14711112384218	1600	16	10
10	0,43	33	6,6	24,2	1112384228105	100	4,7	33,5	66,5	26,4	14711112384225	1600	16	10
10	0,43	33	6,6	24,2	1112384235103	100	4,7	33,5	66,5	26,4	14711112384232	1600	16	10
10	0,43	33	6,6	24,2	1112384242101	100	4,7	33,5	66,5	26,4	14711112384249	1600	16	10
10	0,43	33												

FILAMENT DIMMABLE

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK						
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE
A60 E27	00172748	FILAMENT A60 E27 4.5W 2700K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387021
	00172749	FILAMENT A60 E27 7W 2700K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387038
	00172750	FILAMENT A60 E27 9W 2700K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387045
	00172751	FILAMENT A60 E27 11W 2700K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387052
	00172752	FILAMENT (AMBER) A60 E27 4.5W 2200K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387069
	00172753	FILAMENT (SMOKY) A60 E27 4.5W 1800K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387076
	00172754	FILAMENT (SPIRAL AMBER) A60 E27 4.9W 2200K DIM	1	0,038	0,043	6,6	6,6	12,1	4711112387083
C35 E14	00172755	FILAMENT C35 E14 2.5W 2700K DIM	1	0,03	0,04	3,9	3,9	12,1	4711112387090
	00172756	FILAMENT C35 E14 4.5W 2700K DIM	1	0,03	0,04	3,9	3,9	12,1	4711112387106
CF35 E14	00172757	FILAMENT CF35 E14 2.5W 2700K DIM	1	0,031	0,041	3,9	3,9	12,1	4711112387113
	00172758	FILAMENT CF35 E14 4.5W 2700K DIM	1	0,031	0,041	3,9	3,9	12,1	4711112387120
G45 E14-E27	00172759	FILAMENT G45 E14 2.5W 2700K DIM	1	0,032	0,042	5	5	10,2	4711112387137
	00172760	FILAMENT G45 E14 4.5W 2700K DIM	1	0,032	0,042	5	5	10,2	4711112387144
G95 E27	00172761	FILAMENT G95 E27 7W 2700K DIM	1	0,06	0,07	10	10	15,2	4711112387151
	00172762	FILAMENT G95 E27 9W 2700K DIM	1	0,06	0,07	10	10	15,2	4711112387168
	00172763	FILAMENT G95 E27 11W 2700K DIM	1	0,06	0,07	10	10	15,2	4711112387175
ST64 E27	00172764	FILAMENT ST64 E27 4.5W 2700K DIM	1	0,04	0,048	7	7	15,2	4711112387182
	00172765	FILAMENT ST64 E27 7W 2700K DIM	1	0,04	0,048	7	7	15,2	4711112387199
	00172766	FILAMENT (AMBER) ST64 E27 4.5W 2200K DIM	1	0,04	0,048	7	7	15,2	4711112387205
T25 E14	00172767	FILAMENT T25 E14 4.5W 2700K DIM	1	0,03	0,035	3,9	3,9	10,2	4711112387212
	00172768	FILAMENT (AMBER) T25 E14 4.5W 2200K DIM	1	0,03	0,035	3,9	3,9	10,2	4711112387229

SHRINK						OUTER CARTON						PALLET		ORD. QTY x (PCS)
PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CARTONS	
10	0,43	33	6,6	24,2	1112387021109	100	4,7	33,5	66,5	26,4	14711112387028	1600	16	10
10	0,43	33	6,6	24,2	1112387038107	100	4,7	33,5	66,5	26,4	14711112387035	1600	16	10
10	0,43	33	6,6	24,2	1112387045105	100	4,7	33,5	66,5	26,4	14711112387042	1600	16	10
10	0,43	33	6,6	24,2	1112387052103	100	4,7	33,5	66,5	26,4	14711112387059	1600	16	10
10	0,43	33	6,6	24,2	1112387069101	100	4,7	33,5	66,5	26,4	14711112387066	1600	16	10
10	0,43	33	6,6	24,2	1112387076109	100	4,7	33,5	66,5	26,4	14711112387073	1600	16	10
10	0,43	33	6,6	24,2	1112387083107	100	4,7	33,5	66,5	26,4	14711112387080	1600	16	10
10	0,4	19,5	3,9	24,2	1112387090105	100	3,1	33,5	47,5	26,4	14711112387097	2800	28	10
10	0,4	19,5	3,9	24,2	1112387106103	100	3,1	33,5	47,5	26,4	14711112387103	2800	28	10
10	0,41	19,5	3,9	24,2	1112387113101	100	3,2	33,5	47,5	26,4	14711112387110	2800	28	10
10	0,41	19,5	3,9	24,2	1112387120109	100	3,2	33,5	47,5	26,4	14711112387127	2800	28	10
10	0,42	25	5	20,4	1112387137107	100	3,3	33,5	54,5	22,6	14711112387134	2400	24	10
10	0,42	25	5	20,4	1112387144105	100	3,3	33,5	54,5	22,6	14711112387141	2400	24	10
4	0,7	20	10	30,4	1112387151103	40	3,2	44,3	53	33	14711112387158	480	12	4
4	0,7	20	10	30,4	1112387168101	40	3,2	44,3	53	33	14711112387165	480	12	4
4	0,7	20	10	30,4	1112387175109	40	3,2	44,3	53	33	14711112387172	480	12	4
8	0,48	28	7	30,4	1112387182107	80	5	37,5	61,5	33,5	14711112387189	960	12	8
8	0,48	28	7	30,4	1112387199105	80	5	37,5	61,5	33,5	14711112387196	960	12	8
8	0,48	28	7	30,4	1112387205103	80	5	37,5	61,5	33,5	14711112387202	960	12	8
10	0,35	19,5	3,9	20,4	1112387212101	100	3,1	33,5	47,5	22,6	14711112387219	2800	28	10
10	0,35	19,5	3,9	20,4	1112387229109	100	3,1	33,5	47,5	22,6	14711112387226	2800	28	10

T8 TUBES

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK							OUTER CARTON							ORD. QTY x (PCS)
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE		
600 mm	00172777	T8 9W 600mm 3000K	1	0.1	0.125	64,5	3	3	4711112387908	25	3,75	67	20	20	14711112387905	25	
	00172778	T8 9W 600mm 4000K	1	0.1	0.125	64,5	3	3	4711112387915	25	3,75	67	20	20	14711112387912	25	
	00172779	T8 9W 600mm 5000K	1	0.1	0.125	64,5	3	3	4711112387922	25	3,75	67	20	20	14711112387929	25	
	00172780	T8 9W 600mm 6500K	1	0.1	0.125	64,5	3	3	4711112387939	25	3,75	67	20	20	14711112387936	25	
1200 mm	00172781	T8 18W 1200mm 3000K	1	0.17	0.21	124	3	3	4711112387946	25	6,5	127	20	20	14711112387943	25	
	00172782	T8 18W 1200mm 4000K	1	0.17	0.21	124	3	3	4711112387953	25	6,5	127	20	20	14711112387950	25	
	00172783	T8 18W 1200mm 5000K	1	0.17	0.21	124	3	3	4711112387960	25	6,5	127	20	20	14711112387967	25	
	00172784	T8 18W 1200mm 6500K	1	0.17	0.21	124	3	3	4711112387977	25	6,5	127	20	20	14711112387974	25	
1500 mm	00172785	T8 22W 1500mm 3000K	1	0.225	0.275	154	3	3	4711112387984	25	8,5	157	20	20	14711112387981	25	
	00172786	T8 22W 1500mm 4000K	1	0.225	0.275	154	3	3	4711112387991	25	8,5	157	20	20	14711112387998	25	
	00172787	T8 22W 1500mm 5000K	1	0.225	0.275	154	3	3	4711112388004	25	8,5	157	20	20	14711112388001	25	
	00172788	T8 22W 1500mm 6500K	1	0.225	0.275	154	3	3	4711112388011	25	8,5	157	20	20	14711112388018	25	

DOWNLIGHTS

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK							OUTER CARTON							PALLET		ORD. QTY x (PCS)
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CAR-TONS		
STANDARD	00172857	DOWN LIGHT D100 8W 3000K	1	0,071	0,1	11,7	71	11,7	4711112387816	50	5,03	60	24,6	23	14711112387813	1200	24	50	
	00172858	DOWN LIGHT D100 8W 4000K	1	0,071	0,1	11,7	71	11,7	4711112387823	50	5,03	60	24,6	23	14711112387820	1200	24	50	
	00172859	DOWN LIGHT D100 8W 6500K	1	0,071	0,1	11,7	71	11,7	4711112387830	50	5,03	60	24,6	23	14711112387837	1200	24	50	
	00172860	DOWN LIGHT D150 16W 3000K	1	0,142	0,17	16,7	142	16,7	4711112387847	30	5,15	51,5	34,5	24,5	14711112387844	480	16	30	
	00172861	DOWN LIGHT D150 16W 4000K	1	0,142	0,17	16,7	142	16,7	4711112387854	30	5,15	51,5	34,5	24,5	14711112387851	480	16	30	
	00172862	DOWN LIGHT D150 16W 6500K	1	0,142	0,17	16,7	142	16,7	4711112387861	30	5,15	51,5	34,5	24,5	14711112387868	480	16	30	
	00172863	DOWN LIGHT D200 24W 3000K	1	0,253	0,29	21,7	253	21,7	4711112387878	30	8,75	66,5	44,5	24,5	14711112387875	240	8	30	
	00172864	DOWN LIGHT D200 24W 4000K	1	0,253	0,29	21,7	253	21,7	4711112387885	30	8,75	66,5	44,5	24,5	14711112387882	240	8	30	
	00172865	DOWN LIGHT D200 24W 6500K	1	0,253	0,29	21,7	253	21,7	4711112387892	30	8,75	66,5	44,5	24,5	14711112387899	240	8	30	
	00173002	DOWN LIGHT D100 8W 3CCT	1	0,071	0,09	11,7	71	11,7	4711112386239	50	4,3	60	29,5	24,5	14711112386236	900	18	50	
3CCT	00172866	DOWN LIGHT D150 16W 3CCT	1	0,155	0,175	16,8	155	17	4711112386246	30	5,3	52	35,5	30,5	14711112386243	360	12	30	
	00172867	DOWN LIGHT D200 24W 3CCT	1	0,268	0,3	21,8	268	23	4711112386253	30	9,05	67	45,5	30,5	14711112386250	180	6	30	

PANELS

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK							OUTER CARTON							ORD. QTY x (PCS)
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE		
UGR 22	00172886	PANEL 60X60 36W UGR 22 3000K	1	1	1,22	3,7	61,5	61	4711112387533	6	7,5	23	63,5	64	14711112387530	6	
	00172887	PANEL 60X60 36W UGR 22 4000K	1	1	1,22	3,7	61,5	61	4711112387540	6	7,5	23	63,5	64	14711112387547	6	
	00172888	PANEL 60X60 36W UGR 22 5000K	1	1	1,22	3,7	61,5	61	4711112387557	6	7,5	23	63,5	64	14711112387554	6	
	00172889	PANEL 60X60 36W UGR 22 6500K	1	1	1,22	3,7	61,5	61	4711112387564	6	7,5	23	63,5	64	14711112387561	6	
UGR<19	00172890	PANEL STD 60X60 34W UGR<19 3000K	1	1,25	1,4	63,5	60	3,8	4711112387571	4	6,2	18,5	65	65	14711112387578	4	
	00172891	PANEL STD 60X60 34W UGR<19 4000K	1	1,25	1,4	63,5	60	3,8	4711112387588	4	6,2	18,5	65	65	14711112387585	4	
	00172892	PANEL STD 60X60 34W UGR<19 5000K	1	1,25	1,4	63,5	60	3,8	4711112387595	4	6,2	18,5	65	65	14711112387592	4	
	00172893	PANEL STD 60X60 34W UGR<19 6500K	1	1,25	1,4	63,5	60	3,8	4711112387601	4	6,2	18,5	65	65	14711112387608	4	
	00172916	PANEL STD 120X30 34W UGR<19 3000K	1	1,5	1,7	30	123	3,8	4711112387656	4	7,3	18,5	125	35	14711112387653	4	
	00172917	PANEL STD 120X30 34W UGR<19 4000K	1	1,5	1,7	30	123	3,8	4711112387663	4	7,3	18,5	125	35	14711112387660	4	
	00172918	PANEL STD 120X30 34W UGR<19 5000K	1	1,5	1,7	30	123	3,8	4711112387670	4	7,3	18,5	125	35	14711112387677	4	
	00172919	PANEL STD 120X30 34W UGR<19 6500K	1	1,5	1,7	30	123	3,8	4711112387687	4	7,3	18,5	125	35	14711112387684	4	
	00172920	PANEL PRO 60X60 34W UGR<19 3000K	1	1,25	1,4	63,5	60	3,8	4711112387694	4	6,2	18,5	65	65	14711112387691	4	
	00172921	PANEL PRO 60X60 34W UGR<19 4000K	1	1,25	1,4	63,5	60	3,8	4711112387700	4	6,2	18,5	65	65	14711112387707	4	
	00172922	PANEL PRO 60X60 34W UGR<19 5000K	1	1,25	1,4	63,5	60	3,8	4711112387717	4	6,2	18,5	65	65	14711112387714	4	
	00172923	PANEL PRO 60X60 34W UGR<19 6500K	1	1,25	1,4	63,5	60	3,8	4711112387724	4	6,2	18,5	65	65	14711112387721	4	
	00172928	PANEL PRO 120X30 34W UGR<19 3000K	1	1,5	1,7	30	123	3,8	4711112387779	4	7,3	18,5	125	35	14711112387776	4	
	00172929	PANEL PRO 120X30 34W UGR<19 4000K	1	1,5	1,7	30	123	3,8	4711112387786	4	7,3	18,5	125	35	14711112387783	4	
	00172930	PANEL PRO 120X30 34W UGR<19 5000K	1	1,5	1,7	30	123	3,8	4711112387793	4	7,3	18,5	125	35	14711112387790	4	
	00172931	PANEL PRO 120X30 34W UGR<19 6500K	1	1,5	1,7	30	123	3,8	4711112387809	4	7,3	18,5	125	35	14711112387806	4	
	UGR<19 25W & DALI	00178156	PANEL PRO S2 60X60 25W UGR19 3000K	1	1,78	2,17	64,5	62,5	4	4711112389797	6	13,9	66,5	64,5	27	14711112389794	6
		00178159	PANEL PRO S2 60X60 25W UGR19 4000K	1	1,78	2,17	64,5	62,5	4	4711112389803	6	13,9	66,5	64,5	27	14711112389800	6
		00178161	PANEL PRO S2 60X60 25W UGR19 5000K	1	1,78	2,17	64,5	62,5	4	4711112389810	6	13,9	66,5	64,5	27	14711112389817	6
		00178163	PANEL PRO S2 60X60 25W UGR19 6500K	1	1,78	2,17	64,5	62,5	4	4711112389827	6	13,9	66,5	64,5	27	14711112389824	6
00180343		PANELPROS2 60X60 25W UGR19 3000K DALI	1	1,78	2,17	64,5	62,5	4	4711112383610	6	13,9	66,5	64,5	27	14711112383617	6	
00180344		PANELPROS2 60X60 25W UGR19 4000K DALI	1	1,78	2,17	64,5	62,5	4	4711112383627	6	13,9	66,5	64,5	27	14711112383624	6	
UGR<16	00180345	PANELPROS2 60X60 25W UGR19 5000K DALI	1	1,78	2,17	64,5	62,5	4	4711112383634	6	13,9	66,5	64,5	27	14711112383631	6	
	00180346	PANELPROS2 60X60 25W UGR19 6500K DALI	1	1,78	2,17	64,5	62,5	4	4711112383641	6	13,9	66,5	64,5	27	14711112383648	6	
	00172932	PANEL 60X60 40W UGR<16 3000K DIP	1	2,5	3	66	2,5	60	4711112385553	4	11,7	70	17	64	14711112385550	4	
	00172933	PANEL 60X60 40W UGR<16 4000K DIP	1	2,5	3	66	2,5	60	4711112385560	4	11,7	70	17	64	14711112385567	4	
00172934	PANEL 60X60 40W UGR<16 5000K DIP	1	2,5	3	66	2,5	60	4711112385577	4	11,7	70	17	64	14711112385574	4		

CEILING LIGHTS

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK							OUTER CARTON							ORD. QTY x (PCS)
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BARCODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE		
3CCT	00172974	CEILING 30 16W 3CCT (W)	1	0,6	0,62	30,2	30,3	6,8	4711112388141	12	8,4	63	64	33	14711112388148	12	
	00172976	CEILING 30 16W 3CCT (B)	1	0,6	0,62	30,2	30,3	6,8	4711112388158	12	8,4	63	64	33	14711112388155	12	


FLOOD LIGHTS

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK							OUTER CARTON						PALLET		
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BAR-CODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CARTONS	ORD. QTY x (PCS)
BLACK	00172828	FLOOD LIGHT IP65 10W 6500K (B)	1	0,135	0,154	22,4	3	10,4	4711112386093	50	8,2	51	17	22,8	1471112386090	2000	40	50
	00172829	FLOOD LIGHT IP65 10W 5000K(B)	1	0,154	0,154	22,4	3	10,4	4711112385485	50	8,2	51	17	22,8	1471112385482	2000	40	50
	00172830	FLOOD LIGHT IP65 10W 4000K (B)	1	0,154	0,154	22,4	3	10,4	4711112383986	50	8,2	51	17	22,8	1471112383983	2000	40	50
	00172831	FLOOD LIGHT IP65 10W 3000K (B)	1	0,154	0,154	22,4	3	10,4	4711112386109	50	8,2	51	17	22,8	1471112386106	2000	40	50
	00172832	FLOOD LIGHT IP65 20W 6500K (B)	1	0,23	0,23	22,4	3	10,4	4711112386116	36	8,6	38	20,2	27,6	1471112386113	1728	48	36
	00172833	FLOOD LIGHT IP65 20W 5000K (B)	1	0,23	0,23	22,4	3	10,4	4711112385492	36	8,6	38	20,2	27,6	1471112385499	1728	48	36
	00172834	FLOOD LIGHT IP65 20W 4000K (B)	1	0,23	0,23	22,4	3	10,4	4711112383993	36	8,6	38	20,2	27,6	1471112383990	1728	48	36
	00172835	FLOOD LIGHT IP65 20W 3000K (B)	1	0,23	0,23	22,4	3	10,4	4711112386120	36	8,6	38	20,2	27,6	1471112386120	1728	48	36
	00172836	FLOOD LIGHT IP65 30W 6500K (B)	1	0,459	0,459	22,4	3	10,4	4711112386130	20	9,5	36	14,5	33,8	1471112386137	900	45	20
	00172837	FLOOD LIGHT IP65 30W 5000K (B)	1	0,459	0,459	22,4	3	10,4	4711112385508	20	9,5	36	14,5	33,8	1471112385505	900	45	20
	00172838	FLOOD LIGHT IP65 30W 4000K (B)	1	0,459	0,459	22,4	3	10,4	4711112384006	20	9,5	36	14,5	33,8	1471112384003	900	45	20
	00172839	FLOOD LIGHT IP65 30W 3000K (B)	1	0,459	0,459	22,4	3	10,4	4711112386147	20	9,5	36	14,5	33,8	1471112386144	900	45	20
	00172840	FLOOD LIGHT IP65 50W 6500K (B)	1	0,743	0,743	22,4	3	10,4	4711112386154	16	12,3	24,5	23,8	40,8	1471112386151	384	24	16
	00172841	FLOOD LIGHT IP65 50W 5000K (B)	1	0,743	0,743	22,4	3	10,4	4711112385515	16	12,3	24,5	23,8	40,8	1471112385512	384	24	16
	00172842	FLOOD LIGHT IP65 50W 4000K (B)	1	0,743	0,743	22,4	3	10,4	4711112384013	16	12,3	24,5	23,8	40,8	1471112384010	384	24	16
	00172843	FLOOD LIGHT IP65 50W 3000K (B)	1	0,743	0,743	22,4	3	10,4	4711112386161	16	12,3	24,5	23,8	40,8	1471112386168	384	24	16
	00172845	FLOOD LIGHT IP65 100W 6500K (B)	1	1,37	1,37	22,4	3	10,4	4711112386178	8	11,5	30,3	29,2	26	1471112386175	384	48	8
	00172846	FLOOD LIGHT IP65 100W 5000K (B)	1	1,37	1,37	22,4	3	10,4	4711112385522	8	11,5	30,3	29,2	26	1471112385529	384	48	8
	00172847	FLOOD LIGHT IP65 100W 4000K (B)	1	1,37	1,37	22,4	3	10,4	4711112384020	8	11,5	30,3	29,2	26	1471112384027	384	48	8
	00172848	FLOOD LIGHT IP65 100W 3000K (B)	1	1,37	1,37	22,4	3	10,4	4711112386185	8	11,5	30,3	29,2	26	1471112386182	384	48	8
	00172849	FLOOD LIGHT IP65 150W 6500K (B)	1	2,75	2,75	22,4	3	10,4	4711112386192	4	11,53	37,1	29,4	27,2	1471112386199	144	36	4
	00172850	FLOOD LIGHT IP65 150W 5000K (B)	1	2,75	2,75	22,4	3	10,4	4711112385539	4	11,53	37,1	29,4	27,2	1471112385536	144	36	4
	00172851	FLOOD LIGHT IP65 150W 4000K (B)	1	2,75	2,75	22,4	3	10,4	4711112384037	4	11,53	37,1	29,4	27,2	1471112384034	144	36	4
	00172852	FLOOD LIGHT IP65 150W 3000K (B)	1	2,75	2,75	22,4	3	10,4	4711112386208	4	11,53	37,1	29,4	27,2	1471112386205	144	36	4
	00172853	FLOOD LIGHT IP65 200W 6500K (B)	1	2,75	2,75	22,4	3	10,4	4711112386215	4	11,53	37,1	29,4	27,2	1471112386212	144	36	4
	00172854	FLOOD LIGHT IP65 200W 5000K (B)	1	2,75	2,75	22,4	3	10,4	4711112385546	4	11,53	37,1	29,4	27,2	1471112385543	144	36	4
	00172855	FLOOD LIGHT IP65 200W 4000K (B)	1	2,75	2,75	22,4	3	10,4	4711112384044	4	11,53	37,1	29,4	27,2	1471112384041	144	36	4
	00172856	FLOOD LIGHT IP65 200W 3000K (B)	1	2,75	2,75	22,4	3	10,4	4711112386222	4	11,53	37,1	29,4	27,2	1471112386229	144	36	4
	00173300	FLOOD LIGHT IP65 10W 6500K (W)	1	0,154	0,154	22,4	3	10,4	4711112388547	50	8,2	51	17	22,8	1471112388544	2000	40	50
	00173301	FLOOD LIGHT IP65 10W 5000K (W)	1	0,154	0,154	22,4	3	10,4	4711112388554	50	8,2	51	17	22,8	1471112388551	2000	40	50
	00173302	FLOOD LIGHT IP65 10W 4000K (W)	1	0,154	0,154	22,4	3	10,4	4711112388561	50	8,2	51	17	22,8	1471112388568	2000	40	50
	00173303	FLOOD LIGHT IP65 10W 3000K (W)	1	0,154	0,154	22,4	3	10,4	4711112388578	50	8,2	51	17	22,8	1471112388575	2000	40	50
	00173304	FLOOD LIGHT IP65 20W 6500K (W)	1	0,23	0,23	22,4	3	10,4	4711112388585	36	8,6	38	20,2	27,6	1471112388582	1728	48	36
	00173305	FLOOD LIGHT IP65 20W 5000K (W)	1	0,23	0,23	22,4	3	10,4	4711112388592	36	8,6	38	20,2	27,6	1471112388599	1728	48	36
	00173306	FLOOD LIGHT IP65 20W 4000K (W)	1	0,23	0,23	22,4	3	10,4	4711112388608	36	8,6	38	20,2	27,6	1471112388605	1728	48	36
	00173307	FLOOD LIGHT IP65 20W 3000K (W)	1	0,23	0,23	22,4	3	10,4	4711112388615	36	8,6	38	20,2	27,6	1471112388612	1728	48	36
	00173308	FLOOD LIGHT IP65 30W 6500K (W)	1	0,459	0,459	22,4	3	10,4	4711112388622	20	9,5	36	14,5	33,8	1471112388629	900	45	20
	00173309	FLOOD LIGHT IP65 30W 5000K (W)	1	0,459	0,459	22,4	3	10,4	4711112388639	20	9,5	36	14,5	33,8	1471112388636	900	45	20
	00173310	FLOOD LIGHT IP65 30W 4000K (W)	1	0,459	0,459	22,4	3	10,4	4711112388646	20	9,5	36	14,5	33,8	1471112388643	900	45	20
	00173311	FLOOD LIGHT IP65 30W 3000K (W)	1	0,459	0,459	22,4	3	10,4	4711112388653	20	9,5	36	14,5	33,8	1471112388650	900	45	20
	00173312	FLOOD LIGHT IP65 50W 6500K (W)	1	0,743	0,743	22,4	3	10,4	4711112388660	16	12,3	24,5	23,8	40,8	1471112388667	384	24	16
	00173313	FLOOD LIGHT IP65 50W 5000K (W)	1	0,743	0,743	22,4	3	10,4	4711112388677	16	12,3	24,5	23,8	40,8	1471112388674	384	24	16
	00173314	FLOOD LIGHT IP65 50W 4000K (W)	1	0,743	0,743	22,4	3	10,4	4711112388684	16	12,3	24,5	23,8	40,8	1471112388681	384	24	16
	00173315	FLOOD LIGHT IP65 50W 3000K (W)	1	0,743	0,743	22,4	3	10,4	4711112388691	16	12,3	24,5	23,8	40,8	1471112388698	384	24	16
	00173316	FLOOD LIGHT IP65 100W 6500K (W)	1	1,37	1,37	22,4	3	10,4	4711112388707	8	11,5	30,3	29,2	26	1471112388704	384	48	8
	00173317	FLOOD LIGHT IP65 100W 5000K (W)	1	1,37	1,37	22,4	3	10,4	4711112388714	8	11,5	30,3	29,2	26	1471112388711	384	48	8
	00173318	FLOOD LIGHT IP65 100W 4000K (W)	1	1,37	1,37	22,4	3	10,4	4711112388721	8	11,5	30,3	29,2	26	1471112388728	384	48	8
	00173319	FLOOD LIGHT IP65 100W 3000K (W)	1	1,37	1,37	22,4	3	10,4	4711112388738	8	11,5	30,3	29,2	26	1471112388735	384	48	8
	00173320	FLOOD LIGHT IP65 150W 6500K (W)	1	2,75	2,75	22,4	3	10,4	4711112388745	4	11,53	37,1	29,4	27,2	1471112388742	144	36	4
	00173321	FLOOD LIGHT IP65 150W 5000K (W)	1	2,75	2,75	22,4	3	10,4	4711112388752	4	11,53	37,1	29,4	27,2	1471112388759	144	36	4
00173322	FLOOD LIGHT IP65 150W 4000K (W)	1	2,75	2,75	22,4	3	10,4	4711112388769	4	11,53	37,1	29,4	27,2	1471112388766	144	36	4	
00173323	FLOOD LIGHT IP65 150W 3000K (W)	1	2,75	2,75	22,4	3	10,4	4711112388776	4	11,53	37,1	29,4	27,2	1471112388773	144	36	4	
00173324	FLOOD LIGHT IP65 200W 6500K (W)	1	2,75	2,75	22,4	3	10,4	4711112388783	4	11,53	37,1	29,4	27,2	1471112388780	144	36	4	
00173325	FLOOD LIGHT IP65 200W 5000K (W)	1	2,75	2,75	22,4	3	10,4	4711112388790	4	11,53	37,1	29,4	27,2	1471112388797	144	36	4	
00173326	FLOOD LIGHT IP65 200W 4000K (W)	1	2,75	2,75	22,4	3	10,4	4711112388806	4	11,53	37,1	29,4	27,2	1471112388803	144	36	4	
00173327	FLOOD LIGHT IP65 200W 3000K (W)	1	2,75	2,75	22,4	3	10,4	4711112388813	4	11,53	37,1	29,4	27,2	1471112388810	144	36	4	

HIGH BAY

TYPE	WESTNET CODE	WESTNET DESCRIPTION	PACK						OUTER CARTON						PALLET			
			PC	NET WEIGHT (kg)	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	EAN-13 BAR-CODE	PACKS	GR. WEIGHT (kg)	LENGTH	WIDTH	HEIGHT	ITF-14 BARCODE	PACKS	OUTER CARTONS	ORD. QTY x (PCS)
STANDARD S.2	00178191	HIGHBAY STD S.2 IP65 100W 90D 4000K	1	1,82	2,52	22,3	22,3	15,3	4711112389391	4	11,08	34,2	23,7	34,2	1471112389398	96	24	1
	00178192	HIGHBAY STD S.2 IP65 100W 90D 5000K	1	1,82	2,52	22,3	22,3	15,3	4711112389841	4	11,08	34,2	23,7	34,2	1471112389848	96	24	1
	00178193	HIGHBAY STD S.2 IP65 100W 90D 6500K	1	1,82	2,52	22,3	22,3	15,3	4711112389858	4	11,08	34,2	23,7	34,2	1471112389855	96	24	1
	00178194	HIGHBAY STD S.2 IP65 150W 90D 4000K	1	2,3	3,1	26,8	26,8	15,5	4711112389421	4	13,2	34,6	28,2	56	1471112389428	48	12	1
	00178195	HIGHBAY STD S.2 IP65 150W 90D 5000K	1	2,3	3,1	26,8	26,8	15,5	4711112389964	4	13,2	34,6	28,2	56	1471112389961	48	12	1
	00178196	HIGHBAY STD S.2 IP65 150W 90D 6500K	1	2,3	3,1	26,8	26,8	15,5	4711112389971	4	13,2	34,6	28,2	56	1471112389978	48	12	1
	00178197																	

TOSHIBA



tsb-europe.com

MEMBER OF



OLYMPIA GROUP



www.mywestnet.com